




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Latching, Locking & Retention**

Connector Hardware Accessory Type: **Screwlock**

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention
Connector Hardware Accessory Type	Screwlock

Mechanical Attachment

Thread Size	4-40 UNC 2A (Male), 4-40 UNC 2B (Female)
-------------	--

Dimensions

Product Feature Length	9.4 mm[.37 in]
Thread Length	5 mm[.197 in]

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240)




Candidate List Declared Against: JUNE 2023 (235)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 178877-1
SCREWLOCK WITH SPRING WASHER

Also in the Series | AMPLIMITE Kit


Connector Caps & Covers(3)


Connector Hardware(104)


Connector Seals & Cavity Plugs(4)


Connector Strain Relief(144)

Customers Also Bought






TE Part #6609037-1
3EP1=F7169 S0



TE Part #66429-4
III+ PIN,30-26,30AU/FL,LP




TE Part #745254-7
20 DF PIN CONT L.P.



TE Part #8334953001
100G0111-0.75-9



TE Part #1-66101-8
III+ SKT,18-16,30AU/FL,SMPACK



TE Part #1546997-1
STR RLF ASSY,TUBING,SIZE 8



TE Part #BSA200N00420235000
923 PLUG



TE Part #CONMCX012
MCX Plug 50 Ohm Cable Crimp



TE Part #5-2176366-6
RQ 0603 1K62 0.1% 10PPM 1K RL

Documents

Product Drawings
AMPLIMITE SCREW LOCK

Japanese

CAD Files

3D PDF

3D

Customer View Model
ENG_CVM_CVM_177619-1_B.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_177619-1_B.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_177619-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications



Product Specification

English