



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: **Housing**
Connector & Housing Type: **Receptacle**
Connector System: **Wire-to-Panel, Wire-to-Wire**
Number of Positions: **6**
Centerline (Pitch): **6.35 mm [.25 in]**

Features

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Panel, Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	6
Number of Power Positions	0
Number of Signal Positions	0
Number of Rows	2

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Contact Features

Multiple Contact Types	Without
------------------------	---------



Contact Layout	Matrix
Contact Retention Within Housing	Without
Contact Type	Pin

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Panel Mount Feature	With
Panel Mount Feature Type	Patch & Tabs
Connector Mounting Type	Panel Mount

Housing Features

Centerline (Pitch)	6.35 mm[.25 in]
Housing Color	Natural
Housing Material	PA 6.6

Dimensions

Panel Thickness (Recommended)	.76 - 2.29 mm[.03 - .09 in]
Row-to-Row Spacing	6.35 mm[.25 in]

Usage Conditions

Operating Temperature Range	-55 - 125 °C[-67 - 257 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

CSA Rating	Certified, LR 7189
UL Rating	Recognized
Compatible With Agency/Standards Products	CSA, UL, VDE
Compatible With Approved Standards Products	UL E28476
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features

Packaging Quantity	500
Packaging Method	Bag



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 350431-4 06P UMNL PINHDR ASSY V2 NAT LF	 TE Part # 1-480705-2 06P UNML CAP HSG RED	 TE Part # 350732-4 06P UMNL PIN HDR ASSY 94VO LF	 TE Part # 350732-1 06P UMNL PIN HDR ASSY 94VO
--	---	---	--



TE Part # 350762-5
06P UMNL HDR ASSY PC LF



TE Part # 350834-1
06P UMNL HDR ASSY PC 94VO



TE Part # 1-480704-2
06P UMNL PLUG HSG RED



TE Part # 350585-1
06P UMNL PIN HDR ASSY V2 NATL



TE Part # 350827-4
06P UMNL HDR ASSY PC 94VO LF



TE Part # 1644055-1
UNIV MATE-N-LOK HOUSING 6W



TE Part # 350711-1
06P UMNL PIN HDR ASSY 94VO



TE Part # 350585-4
06P UMNL PIN HDR ASSY V2 LF



TE Part # 641969-1
06P UMNL PIN HDR ASSY V2 NATL



TE Part # 350827-1
06P UMNL HDR ASSY PC 94VO



TE Part # 641970-1
06P UMNL PIN HDR ASSY 94VO



TE Part # 927231-3
HONHUS UMNL V0 9-P



TE Part # 1-480711-0
15P UMNL CAP HSG NATL



TE Part # 350715-4
06P UMNL PLUG HSG UL94VO




TE Part # 643424-3
06P UMNL HDR ASSY POL 94VO LF




TE Part # 641970-3
06P UMNL PIN HDR ASSY 94VO LF


Also in the Series | Universal MATE-N-LOK



Circular Power Connectors(2)



Connector Caps & Covers(34)



Connector Contacts(209)



Connector Hardware(12)



Connector Seals & Cavity Plugs(27)



Connector Strain Relief(7)



Insertion & Extraction Tools(4)



Rectangular Connector Housings(1)



Rectangular Power Connectors(671)



Standard Circular Connectors(1)


Customers Also Bought




TE Part # 63854-2
250 PL MKIII REC. 18-14AWG TPBR



TE Part # U7139-002BA-2W0000
PRESS XDCR U7139-002BA-2W0000



TE Part # 962884-1
TAB AS 2.8x0.8 CONTACT CS SRC Sn



TE Part # 926305-6
UNML4WAY CAP



TE Part # 2-1644125-8
E SPRING .250 (6.3 MM) RECEPTACLE



TE Part # 175022-3
250 PL EX REC. 18-14AWG PTBR



TE Part # 4-1241961-7
STD TIM MK2 HSG 3P



TE Part # 0515-032-7005
DRC DUST CAP 15-124P**, mod. -B038



TE Part # 1-280001-3
250 FASTON,REC.,14-17 AWG,TPBR



TE Part # YAEC40-BT-STPDWN-0
BOOT, 40P, PLG/REC, STEP, ST, BLK

Documents



Product Drawings

06P UNIV.M-N-L.HSG.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_926682-3_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_926682-3_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_926682-3_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

German

Agency Approvals

VDE Certificate

English