



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Natural**

Primary Product Material: **Nylon**

Number of Positions: **4**

Operating Temperature (Max): **105 °C [221 °F]**

Features

Product Type Features

Connector Cover Type	Strain Relief Cover
----------------------	---------------------

Configuration Features

Number of Positions	4
---------------------	---

Body Features

Primary Product Color	Natural
Primary Product Material	Nylon

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-20 - 105 °C[-4 - 221 °F]

Industry Standards

Compatible With Agency/Standards Products	CSA, UL
---	---------

Packaging Features



Packaging Quantity	1
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 350793-1
04P UMNL PIN HDR ASSY 94VO

TE Part # 350430-4
04P UMNL PIN HDR ASSY NATL LF

TE Part # 350826-4
04P UMNL HDR ASSY PC 94VO LF


TE Part # 350761-5
04P UMNL HDR ASSY PC LF



 TE Part # 350793-3 04P UMNL PIN HDR ASSY 94VO LF	 TE Part # 350430-1 04P UMNL PIN HDR ASSY NATL	 TE Part # 1-350944-0 04P UMNL HDR ASSY R/A 94VO	 TE Part # 350792-1 04P UMNL PIN HDR ASSY 94VO
 TE Part # 641968-1 04P UMNL PIN HDR ASSY POL 94VO	 TE Part # 643415-1 04P UMNL HDR ASSY POL	 TE Part # 350826-1 04P UMNL HDR ASSY PC 94VO	 TE Part # 350780-1 04P UMNL CAP HSG
 TE Part # 1-480703-0 04P UMNL CAP HSG NATL	 TE Part # 3-350944-0 04P UMNL HDR ASSY R/A 94VO	 TE Part # 350761-4 04P UMNL HDR ASSY PC	 TE Part # 1-480702-0 04P UMNL PLUG HSG NATL
 TE Part # 641967-1 04P UMNL PIN HDR ASSY POL NATL	 TE Part # 643416-1 04P UMNL HDR ASSY POL 94VO	 TE Part # 350584-1 04P UMNL PIN HDR ASSY V2 NATL	 TE Part # 350792-3 04P UMNL PIN HDR ASSY 94VO LF

Also in the Series

Universal MATE-N-LOK

 Circular Power Connectors(2)	 Connector Caps & Covers(34)	 Connector Contacts(209)	 Connector Hardware(12)
---	---	--	---



Connector Seals & Cavity Plugs(27)

Connector Strain Relief(7)

Insertion & Extraction Tools(4)

Rectangular Connector Housings(1)

Rectangular Power Connectors(671)

Standard Circular Connectors(1)

Customers Also Bought

TE Part # 900839-000
202A121-25/86-0

TE Part # 2-1318114-6
DYNAMIC D2100 TAB 12P P/M Y

TE Part # 91559-1
CCII D-3 M REC TAB 24-20 ASSY

TE Part # 8-640903-1
RECEPT,PIDG FASTON 22-18 250

TE Part # 3-1879216-1
CPF0402 130K 0.1% 25PPM 1K RL

TE Part # 53073
TERMINAL,PIDG R 26-24 6

TE Part # 368401-1
COVER HSG FOR 40P(SIEMENS)

TE Part # DCR-1A-03
COMPOSIT RAIL

Documents

Product Drawings
04P UMNL STR/REL & INSRT NATL
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_641775-1_U.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_641775-1_U.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_641775-1_U.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_641775-1_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_641775-1_D.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_641775-1_D.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English