



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Interface Seal**
Primary Product Material: **Urethane Foam**
Operating Temperature (Max): **90 °C [194 °F]**
Operating Temperature Range: **-40 - 90 °C [-40 - 194 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Interface Seal
----------------------------	----------------

Body Features

Primary Product Material	Urethane Foam
--------------------------	---------------

Usage Conditions

Operating Temperature (Max)	90 °C[194 °F]
Operating Temperature Range	-40 - 90 °C[-40 - 194 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Package

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024 (240)
Candidate List Declared Against: JAN 2024 (240)
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 794824-1
16P MINI UMNL PLUG HSG



TE Part # 794370-1
08P MINI UMNL STR RELIEF HNGD



TE Part # 1-1586359-6
16P MINIMUMNL GANG WIRE SEAL DR




TE Part # 1586404-1
16P MINI UMNL CAP HSG SEALED

Also in the Series | Mini-Universal MATE-N-LOK




Connector Caps & Covers(2)



Connector Contacts(89)



Connector Hardware(4)



Connector Seals & Cavity Plugs(17)



Connector Strain Relief(2)



Insertion & Extraction Tools(1)



Rectangular Power Connectors(197)

Customers Also Bought



TE Part # 776437-3
AS 16, 12P PLUG ASSY, KEY 3



TE Part # 175286-5
DYNAMIC D-3 TAB CONT. L PRE-TIN



TE Part # 1-1393779-3
V23101D 6A201




TE Part # 5-160431-2
187 FASTON REC 16-14 AWG TPBR




TE Part # 794824-1
16P MINI UMNL PLUG HSG



TE Part # 1586359-6
06P MINIUMNL GANG WIRE SEAL DR



TE Part # 5-1437720-6
T01-CRIMP-S03



TE Part # 90759-2
PROCRIMP DIE MINI UNIV MNL



TE Part # 1625881-2
1W STD M/OX 2% 220R



TE Part # 1823111-1
SINGLE WIRE SEAL, FOR WIRE 2.5 SQMM, BN

Documents

Product Drawings

16P MINI UMNL SEAL,DIE CUT

English

CAD Files

Customer View Model

ENG_CVM_1-1586362-6_A.3d_igs.zip

English

Customer View Model



[ENG_CVM_1-1586362-6_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1-1586362-6_A.2d_dxf.zip](#)

English

3D PDF

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1-1586362-6_O.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1586362-6_O.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1586362-6_O.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG](#)

English

Product Specifications

[Application Specification](#)

English