




Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover Assembly**

Strain Relief: **With**

Primary Product Color: **Black**

Primary Product Material: **PBT GF30**

Operating Temperature (Max): **70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C [158 °F, 167 °F, 176 °F, 185 °F, 194 °F, 212 °F, 221 °F, 230 °F, 248 °F]**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover Assembly
---	----------------

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF30

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F]
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]

Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1473252-1 40POS MIXED MQS REC SEALED	TE Part # 1473257-1 SEALED MQS CLEANBODY/JPT 40POS	TE Part # 1827945-1 HARNESS COVER TYPE-A NO SLIT TYPE 40POS	TE Part # 1746777-1 0.64GET/2.8MCP 40POS UNSEALED PLUG ASSY

Also in the Series | MQS

Automotive Connector Caps & Covers (113)	Automotive Connector EMC Shielding (3)	Automotive Connector Locks & Position Assurance(26)	Automotive Housings(379)



Automotive Terminals(88)




Connector Seals & Cavity Plugs(27)



Insertion & Extraction Tools(42)



Other Automotive Connector Accessories(7)




PCB Headers & Receptacles(143)

Customers Also Bought



TE Part # 2209545-9
94P PLUG ASSY, NORMAL CODING



TE Part # 936780-2
MT-II/JPT SLD 20P CAP HSG



TE Part # 5-968221-1
MQS, RECEPTACLE AND TAB



TE Part # 2209544-9
60P,PLUG ASSY,NORMAL CODING



TE Part # 1394909-2
SHIELD, 180 DEG., 94POSN.
RECEPTACLE HSG



TE Part # 2-2109432-2
PCU SLD 105P PLUG ASSY(B-LH) I



TE Part # 2069401-1
0.5 SEALED RECEPTACLE CONTACT
Au



TE Part # 2375551-1
Wire Cover Mcon1.2 Connector 6Pos.



TE Part # 2341467-1
REC CONN CVR,39POS,AMP MCP 2.8,
LOW BRKT

Documents



Product Drawings

MQS 40P LEVER(L) ASSY

Japanese

CAD Files

Customer View Model

ENG_CVM_CVM_1473255-1_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1473255-1_A1.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1473255-1_A1.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Application Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English

Instruction Sheet (non U.S.)

Japanese

UNSEALED GET/MCP 81/40 SLIDER LEVER TYPE CONNECTOR

Japanese

Instruction Sheet (non U.S.)

Japanese