

178964-6 ✓ ACTIVE

[Dynamic Series](#) | [Dynamic 3000 Series](#)

TE Internal #: 178964-6


Housing, Housing for Male Terminals, Wire-to-Wire, 12 Position, .15 in [3.81 mm] Centerline, Crimp, 2 Row, Black, Dynamic 3000 Series

[View on TE.com >](#)



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings >

Receptacle and Tab Housing: 3.81 mm pitch, 250V



Connector Product Type: **Housing**

Connector & Housing Type: **Housing for Male Terminals**

Connector System: **Wire-to-Wire**

Number of Positions: **12**

Centerline (Pitch): **3.81 mm [.15 in]**

[All Receptacle and Tab Housing: 3.81 mm pitch, 250V \(45\)](#)

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	12
Number of Rows	2

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Contact Type	Tab
--------------	-----

Contact Base Material

Copper Alloy

Termination Features

Termination Method to Wire & Cable

Crimp

Mechanical Attachment

Mating Retention

With

Connector Mounting Type

Cable Mount (Free-Hanging)

Housing Features

Housing Material

Polyester GF

Centerline (Pitch)

3.81 mm[.15 in]

Dimensions

Connector Length

37 mm[1.45 in]

Connector Height

17.78 mm[.7 in]

Row-to-Row Spacing

5.08 mm[.2 in]

Usage Conditions

Operating Temperature Range

-55 - 105 °C[-67 - 221 °F]

Operation/Application

Circuit Application

Power & Signal

Industry Standards

UL Flammability Rating

UL 94V-0

Packaging Features

Packaging Quantity

600

Packaging Method

Bag

Product ComplianceFor compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024
(240)Candidate List Declared Against: JAN 2024
(240)

Does not contain REACH SVHC

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-D9934-A75
Contact: Component To Wire; 15A, 28-14 wire size

Also in the Series | [Dynamic 3000 Series](#)

Connector Contacts(94)

Connector Hardware(8)

Insertion & Extraction Tools(2)

PCB Headers & Receptacles(283)

PCB Terminal Blocks(25)

Standard Rectangular Connectors(2)

Wire-to-Board Connector Assemblies & Housings(152)

Customers Also Bought



TE Part # 178289-8
Receptacle and Tab Housing: 3.81 mm pitch, 250V




TE Part # 1-179554-3
DYNAMIC D-3200 WTW TAB HSG 6P



TE Part # 1-1903130-6
DYNAMIC 1200D TAB HSG 12P F/H



TE Part # 917571-1
1.5 BTW POST CONTACT



TE Part # 1-173850-1
070 MLC W-W PLUG HSG 8P F/A



TE Part # 173645-2
070 MLC TAB CON 20-16



TE Part # 1473381-1
PC I/O REC KIT BAG /1PCS.



TE Part # 1-1337441-0
BNC Str Jk Hex 50Ohm Nickel Pltd
RG58C/U



TE Part # 91586-1
CCII MIC MK II TAB 20-14 ASSY

Documents

Product Drawings

[DYNAMIC 3100D TAB HSG 12P FREE](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_178964-6_Y.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_178964-6_Y.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_178964-6_Y.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Agency Approvals

TUV Certificate

English