




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 52600 - 83700 CMA

Stud Size: #10

Features

Product Type Features

Terminal Features	Sheared
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	15.275 g
----------------	----------

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------



Dimensions

Wire Size	52600 - 83700 CMA
Stud Diameter	5 mm[.197 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	38.79 mm[1.527 in]
Barrel Inside Diameter	9.4 mm[.37 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	170 °C[338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	50
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 601075
BANTAM ROTA-CRIMP TOOL



TE Part # 1490414-2
HYP10 SOLIS HD 6-4AWG INDENTER




TE Part # 48127
HYP8 SOLIS 6-2AWG INDENTER



TE Part # 45433
HYP8/10 SOLIS 2AWG DIE SET



TE Part # 1490413-4
HYP10 SOLIS 2AWG NEST




TE Part # 600850
ROTO-CRIMP TOOL (ASI)



TE Part # 330301-2
TERMINAL,SOLIS R 2 10 AUPL



TE Part # 330301-3
TERMINAL,SOLIS, R, 2, M5




TE Part # 48130
HYP8 SOLIS 2AWG NEST

Customers Also Bought



TE Part # 770023-1
15P UMNLI IN-LNE PLUG HSG KIT



TE Part # 350536-2
UMNL SOK 20-14 .0126 AUNI/BR



TE Part # 41125
RING 12-10 AWG TPBR




TE Part # 350561-2
UMNL PIN 24-18 .0126 AU/BR



TE Part # 41332
[RING 18-14 AWG TPBR](#)




TE Part # 9-1617760-6
[FCB-405-AY4](#)



TE Part # 857409-000
[B-106-1992](#)



TE Part # HDP24-24-9PN
[REC, 9P, BLK, N, 4/8/12, P](#)



TE Part # W2PB
[WEDGE LOCK, 2P, REC, BLK, DT, B](#)



TE Part # 173063-2
[.070 ECONOSEAL 2P CAP HSG](#)

Documents

Product Drawings

[TERMINAL,SOLIS R 2 10](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_330301_W.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_330301_W.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_330301_W.3d_stp.zip](#)

English

[3D PDF](#)

English

Customer View Model

[ENG_CVM_330301_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_330301_F.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_330301_F.2d_dxf.zip](#)

English

330301

Closed Ring Tongue Terminal, 2 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter,
Closed Barrel, Straight, Tin, Uninsulated



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOLISTRAND - QRG

English

Agency Approvals

UL Report

English

UL Report

English