TE Internal #: 2170185-1

RJ Point Five Connectors, Single Port, 1 x 1, RJ point five, High Connector Contact Density, Plug, Shielded, Cat 5e, None, Loose

Piece

View on TE.com >



Connectors > Modular Jacks & Plugs > RJ Point Five Connectors > RJ Point Five Plug Kit: Single Plug



Port Configuration: Single Port
Port Matrix Configuration: 1 x 1

Modular Jacks & Plugs Products: RJ point five

Connector Contact Density: **High**Modular Connector Style: **Plug**

All RJ Point Five Plug Kit: Single Plug (4)

Features

Product Type Features

| Compatible With Discrete Wire Type | Stranded |
|------------------------------------|----------------|
| Connector System | Cable-to-Board |
| Modular Jacks & Plugs Products | RJ point five |
| Modular Connector Style | Plug |
| Connector & Contact Terminates To | Wire & Cable |

Configuration Features

| Number of Positions | 8 |
|----------------------------|-------------|
| Port Configuration | Single Port |
| Port Matrix Configuration | 1 x 1 |
| Connector Contact Density | High |
| Number of Loaded Positions | 8 |
| EMI Finger Location | Тор |

Body Features

| Modular Jack Latch Orientation | None | |
|--------------------------------|------|--|
| | | |

Contact Features

| Contact Current Rating (Max) .02 A, .5 A, 1 A |
|---|
|---|

Termination Features



| Termination Method to Wire & Cable | Insulation Displacement (IDC) |
|------------------------------------|-------------------------------|
| Mechanical Attachment | |
| Connector Mounting Type | Board Mount |
| Housing Features | |
| Mating Entry Location | Side |
| Centerline (Pitch) | 1.25 mm[.049 in] |
| Dimensions | |
| Cable Diameter Range | 5.8 mm[.23 in] |
| Usage Conditions | |
| Operating Temperature Range | 0 - 70 °C[32 - 158 °F] |
| Operation/Application | |
| Indicator Type | Lightpipe |
| Circuit Application | Signal |
| Shielded | Yes |
| Industry Standards | |
| Performance Category | Cat 5e |
| Packaging Features | |
| Packaging Method | Loose Piece |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| $\begin{pmatrix} 2 \\ 2 \\ 2 \end{pmatrix}$ | Current ECHA Candidate List: JAN 2024 240) Candidate List Declared Against: JAN 2024 240) Does not contain REACH SVHC |
| | Not Low Halogen - contains Br or Cl > 900 opm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought
















TE Part # AAB1985-00 91H1-17-06-1-B-HE100

Documents

Product Drawings
PLUG KIT

English

CAD Files

3D PDF

RJ Point Five Connectors, Single Port, 1 x 1, RJ point five, High Connector Contact Density, Plug, Shielded, Cat 5e, None, Loose Piece



3D

Customer View Model

ENG_CVM_CVM_2170185-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2170185-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2170185-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English