



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Latching, Locking & Retention, Mounting**

Connector Hardware Accessory Type: **Screw Kit**

Primary Product Material: **Stainless Steel**

Operating Temperature (Max): **130 °C [266 °F]**

Operating Temperature Range: **-55 - 130 °C [-67 - 266 °F]**

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention, Mounting
Connector Hardware Accessory Type	Screw Kit

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Mechanical Attachment

Thread Size	M4 x 0.7-6G
-------------	-------------

Dimensions

Product Length	31.09 mm[1.224 in]
----------------	--------------------

Usage Conditions

Operating Temperature (Max)	130 °C[266 °F]
Operating Temperature Range	-55 - 130 °C[-67 - 266 °F]

Packaging Features

Packaging Quantity	1
Packaging Method	Bag



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 208210-2
METRIMATE SOCKET 19 POSN



TE Part # 208211-6
SCREW,SHOULDER,SPECIAL

Customers Also Bought



TE Part # 1-1879022-1
SMF3 820R 5%

TE Part # 280592
AMPMODU I RECEPTACLE HOUSING.

TE Part # 280595
AMP MODU MOD I RECEPT HSG

TE Part # 643182-2
UMNL STR/REL ADAPTER CAP

TE Part # 163087-8
062 SOC.ASS. TYP3+

TE Part # 61481-1
110 FASTON FLAG REC 22-18 AWG
TPBR

TE Part # 1-726389-2
187 FASTON,FLAG,TAB,TPBR

TE Part # 212609-1
RECEPT HSG,4 POSN,METRIMATE

TE Part # 1860991-1
RT78602, RELAY SOCKET PCB 5MM

Documents

Product Drawings

HARDWARE KIT,DRAWER CONN

English

CAD Files

Customer View Model

ENG_CVM_CVM_213283-2_H.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_213283-2_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_213283-2_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages



METRIMATE_PIN_SOCKET_CATALOG

English

Product Specifications

Application Specification

English