



Connectors > Automotive Connectors > Automotive Housings



Connector System: **Wire-to-Wire**
Number of Positions: **96**
Connector & Housing Type: **Housing for Female Terminals**
Centerline (Pitch): **2.5 mm [.098 in]**
Sealable: **Yes**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal

Configuration Features

Number of Positions	96
Number of Rows	4

Electrical Characteristics

Operating Voltage	14 VDC
Nominal Voltage Architecture	12 V

Body Features

Cable Exit Angle	150°, 180°, 90°
Primary Product Color	Black
Connector & Keying Code	A

Contact Features



Contact Size	1.2mm
Contact Type	Receptacle
Mating Tab Width	1.2 mm[.047 in]
Contact Current Rating (Max)	25 A

Mechanical Attachment

Terminal Position Assurance	Yes
Strain Relief	With
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PA GF
Centerline (Pitch)	2.5 mm[.098 in]

Dimensions

Connector Height	35.7 mm[1.406 in]
Product Width	42 mm[1.654 in]
Product Length	82.3 mm[3.24 in]

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 - 130 °C[-40 - 266 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Packaging Features

Packaging Quantity	148
Packaging Method	Box

Other

Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------











EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 1452862-1 COVER 96POS. ASSY</p>	 <p>TE Part # 1452388-1 2 LOCKING DEVI1.2</p>	 <p>TE Part # CAT-M4595-T273 MCON Receptacle and Tab</p>	 <p>TE Part # 1452389-1 COVER ASSY 96 POS.</p>
 <p>TE Part # 1452388-2 SECONDARY LOCK FOR 96 POS CONN</p>	 <p>TE Part # 1-1452424-2 BLIND PLUG FOR MCON 1.2 CB (1.</p>	 <p>TE Part # 1-1452424-1 BLIND PLUG FOR MCON 1.2 CB (0,</p>	 <p>TE Part # 1718618-1 COVER FOR FAM SEAL 96 POS NEW GEN</p>



TE Part # 5-1579018-9
EXTRACTION TOOL




TE Part # 9-1579018-0
EXTRACTION TOOL




TE Part # 1-1452389-1
COVER ASSY 96POS


Also in the Series | MCON Interconnection System




Automotive Connector Caps & Covers (21)



Automotive Connector Locks & Position Assurance(11)




Automotive Housings(292)




Automotive Terminals(104)



Connector Seals & Cavity Plugs(11)



Insertion & Extraction Tools(31)



Other Automotive Connector Accessories(2)



PCB Headers & Receptacles(2)

Customers Also Bought



TE Part # HDP26-24-21PE-L017
PLG, 21P, BLK, E, RNG, 12/16, P



TE Part # 1452421-1
58 POS. CONNECTOR COVER 90 ASSY



TE Part # 1452388-1
2 LOCKING DEV1.2



TE Part # 1670144-1
MCON 1.2 CB REC SRC SN



TE Part # 1703768-3
14POS,AMP MCP1.5K,SOCK HSG, ASSY



TE Part # 9-1452415-9
58POS CONNECTOR ASSY F. CONNECTOR154POS



TE Part # 1-1718284-2
ADAPTER 90°FOR 10-14POS. SOCKE



TE Part # 2359998-1
REC CONN CVR ASSY,58POS,AMP MCP 2.8



Documents

Product Drawings

96POS,MCON-1.2 CB,REC HSG,ASSY

English

CAD Files

Customer View Model

ENG_CVM_CVM_9-1563173-9_D.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_9-1563173-9_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_9-1563173-9_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

MCON Interconnection System

English

Product Specifications

Application Specification

English