

2299510-1  ACTIVE

TE Internal #: CR2100-000

Splices, Closed End Splice, Splice Capacity 3 + Ground, Standard, .

28 in Barrel Inside Diameter, Steel, Brown, Length 1.14 in, Bag,

Closed, Solid Wire

[View on TE.com >](#)



Terminals & Splices > Splices



Splice Type: **Closed End Splice**

Sealable: **No**

Splice Capacity: **3 + Ground**

Splice Features: **Standard**

Barrel Inside Diameter: **[ .28 in ]**

## Features

### Product Type Features

Splice Accessory Type	Wire Cap
Splice Type	Closed End Splice
Sealable	No
Compatible With Discrete Wire Type	Solid
Wire Insulation Support Retention Type	Non-Insulation Support

### Configuration Features

Splice Capacity	3 + Ground
Compatible With Wire & Cable Type	Discrete Wire

### Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

### Body Features

Splice Features	Standard
Primary Product Color	Brown

### Contact Features

Contact Base Material	Steel
Barrel Type	Closed

### Mechanical Attachment

Wire Insulation Support

Without

**Dimensions**

1.14 in

**Usage Conditions**

Insulation Option

Fully Insulated

Operating Temperature Range

105 °C

**Operation/Application**

Compatible With Wire Base Material

Copper

**Industry Standards**

Government Qualified Splice

No

**Packaging Features**

Packaging Method

Bag

**Product Compliance**For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024  
(240)Candidate List Declared Against: JAN 2024  
(240)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I &lt; 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

## Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



## Customers Also Bought





## Documents

### Product Drawings

[CPGI-WC-TG-TN-BULK](#)

English

---

### Datasheets & Catalog Pages

[Twist Splice Wire Connectors flyer](#)

English

[Twist Splice wire connectors](#)