




Connectors > Connector Accessories > Connector Hardware > Power Key TPA



Hardware Accessory Function: **Latching, Locking & Retention**

Connector Hardware Accessory Type: **Secondary Lock**

Primary Product Color: **Green**

Number of Positions: **2**

[All Power Key TPA \(4\)](#)

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention
Connector Hardware Accessory Type	Secondary Lock

Configuration Features

Number of Positions	2
---------------------	---

Body Features

Primary Product Color	Green
-----------------------	-------

Housing Features

Centerline (Pitch)	5 mm[.197 in]
--------------------	---------------

Dimensions

Product Width	4 mm[.157 in]
Product Length	13.5 mm[.531 in]
Product Height	6.7 mm[.264 in]

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
------------------	-------------------------------



Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-P8704-H342
STD Temp Power Key Header



TE Part # CAT-P8704-T669
Power Key TPA



TE Part # 1376382-5
5mm B-T-W Conn. 2P HDR ASSEMBLY (GWT)



TE Part # 6-1376382-2
5.0 PK CONN.2P ASSY WITHOUT KI

Also in the Series | Power Key 5.0



Connector Contacts(4)



Connector Hardware(4)



Insertion & Extraction Tools(1)



Rectangular Power Connectors(107)

Customers Also Bought




TE Part # 1376392-1
STD Temp Power Key Plug



TE Part # 1971778-3
Locking Plate, POWER TRIPLE LOCK, TPA




TE Part # 1-770849-5
15P SL156 HSG W/LOC RAMP W/TBS



TE Part # 794956-5
VAL-U-LOK SKT BR SN 18-22AWG



TE Part # 350700-1
UMN L SPLIT PIN PTPBR



TE Part # 1376347-1
5MM POWER KEY CONN REC CONT L

Documents

Product Drawings

5MM POWER KEY D/L PLATE GREEN

Japanese

CAD Files

Customer View Model

ENG_CVM_CVM_1376394-1_F.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1376394-1_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1376394-1_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

[SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY](#)

English

[1-1773881-9 Power Key Connector Quick Reference Guide](#)

English

Product Specifications

[Application Specification](#)

English