




Connectors > Connector Accessories > Connector Caps & Covers > Bus Connector: Strain Relief, ATA



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Black**

Primary Product Material: **Thermoplastic**

Number of Positions: **44**

[All Bus Connector: Strain Relief, ATA \(13\)](#)

Features

Product Type Features

| | |
|----------------------|---------------------|
| Connector Cover Type | Strain Relief Cover |
|----------------------|---------------------|

Configuration Features

| | |
|---------------------|----|
| Number of Positions | 44 |
|---------------------|----|

Body Features

| | |
|--------------------------|---------------|
| Primary Product Color | Black |
| Primary Product Material | Thermoplastic |

Dimensions

| | |
|----------------|------------------|
| Product Length | 60.7 mm[2.39 in] |
|----------------|------------------|

Industry Standards

| | |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|

Packaging Features

| | |
|--------------------|-----|
| Packaging Quantity | 1 |
| Packaging Method | Bag |



Product Compliance


For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2018 (181) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 1-5102153-3
A/L UNIV HDR 44P VERT




TE Part # 1-1658622-3
44 NOVO MIL/CTR 30DP, LEAD FREE



TE Part # 1-1658621-3
044 NOVO CTR&MIL 15DP FT



TE Part # 3-1761603-4
IDC LOW PRO HDR 44P VERT BLUE



TE Part # 2-111506-5
044 UNIV I/O 30DP SLOT LTCH




Customers Also Bought



TE Part # 1-499252-2
030 STRAIN RELIEF A-L RCPT



TE Part # 1658652-1
KIT,HDP-20,OVRMLD,PLUG,SIZE 5,



TE Part # 1-87499-7
10 MODIV HSG SR MRKD .100CL



TE Part # 726343-1
SO-RINGZUNGE D46234



TE Part # 202173-7
104 CTR. FASTNR. GUIDE PIN ASY



TE Part # 9-1437621-5
KLN1250B1/4=KNOB KNURL W/IND L



TE Part # 2-2176389-3
RQ 1206 182R 0.1% 10PPM 5K RL



TE Part # 4-1462000-1
C93419=MT RELAY 200 MW 24 V



TE Part # L9000037-01
Antenna 2.4 FPC LH 45x7 100 UFL



TE Part # ANT-W63-WRT-SMA
Antenna Dome Wifi6/6E RG174 SMA

Documents

Product Drawings

044 STRAIN RELIEF A-L RCPT

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-499252-1_AL.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-499252-1_AL.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-499252-1_AL.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



[Datasheets & Catalog Pages](#)
[Ribbon Cable Interconnect Solutions](#)
English

[Product Specifications](#)
[Application Specification](#)
English