




Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**  
Connector & Housing Type: **Receptacle**  
Number of Positions: **5**  
Terminal Orientation: **Straight**  
Primary Product Color: **Natural**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	5
---------------------	---

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	Without

Mechanical Attachment

Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)



Housing Features

Housing Material	Polypropylene
Centerline (Pitch)	8.8 mm, 9.5 mm[.346 in][.374 in]

Dimensions

Product Length	25 mm[.984 in]
----------------	----------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	2100
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # 151325-1  
FF 250 REC HSG 11P NYLON NAT



TE Part # 171898-1  
FF 250 PLUG HSG 6P NYLON NAT



TE Part # 172130-1  
FF 250 REC HSG 2P NYLON NAT



TE Part # 172128-1  
FF 250 REC HSG 1P NYLON NAT



TE Part # 154746-2  
FF 250 REC HSG 5P NYLON BLACK



TE Part # 1-172132-1  
FF 250 PLUG HSG 3P NYLON NAT



TE Part # 626040  
RELAY BASE MOLDING NATURAL 6.6 NYLON



TE Part # 880103-1  
5 WAY FASTIN ON HSG



TE Part # 880191-1  
5W FASTIN-ON REC. H



TE Part # 1-172130-1  
250 FASTON HSG,PLUG 2P NATURAL


Customers Also Bought




TE Part #1658675-1  
HDP-22,OVRMLD,PLUG KIT,SIZE 1,




TE Part #2-32060-1  
TERMINAL,PIDG SPD 16-14 10



TE Part #350200-1  
.140 DIA SOK 14-10 PTPBR



TE Part #350201-1  
.140 DIA PIN 14-10 PTPBR



TE Part #2-36149-2  
PIDG R 22-16 COM 22-18 MIL 6




TE Part #165004  
PLASTI-GRIP, SPADE 22-16 4



TE Part #735222-1  
FF 250 REC 1.0-2.5 MM2 0.32X19.30 BR



TE Part #735222-2  
FF 250 REC 1.0-2.5 MM2 0.32X 19.30 BR



Documents

Product Drawings

RELY BASE MOLDING 5W POLYPROPYLENE

English

CAD Files

Customer View Model

ENG\_CVM\_CVM\_1-626040-0\_N.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-626040-0\_N.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-626040-0\_N.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.