


2-2208157-1  ACTIVE

AMP | Heavy Duty Sealed Connector Series

TE Internal #: 2-2208157-1

Housing for Female Terminals, Wire-to-Wire, 4 Position, .394 in / .295 in [7.5 mm / 10 mm] Centerline, Sealable, Heavy Duty Sealed Connector Series

[View on TE.com >](#)[Connectors > Automotive Connectors > Automotive Housings > Heavy Duty Sealed Connector Series Housings](#)Connector System: **Wire-to-Wire**Number of Positions: **4**Connector & Housing Type: **Housing for Female Terminals**Centerline (Pitch): **7.5 mm, 10 mm [.295 in, .394 in]**Sealable: **Yes**[All Heavy Duty Sealed Connector Series Housings \(204\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	Yes
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Primary Locking Feature	On the Terminal

Configuration Features

Number of Positions	4
Number of Rows	2

Electrical Characteristics

Operating Voltage	60 VDC
Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Black
Connector & Keying Code	B

Contact Features

Contact Size	1.5K, 4.8K, 6.3mm
--------------	-------------------

Mechanical Attachment

Terminal Position Assurance	Yes
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	7.5 mm, 10 mm[.295 in][.394 in]

Dimensions

Connector Height	31.25 mm[1.23 in]
Product Width	25.7 mm[1.011 in]
Product Length	54.1 mm[2.13 in]
Row-to-Row Spacing	6 mm[.236 in]

Usage Conditions

Operating Temperature (Max)	70 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Other

Serviceable	Yes
-------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

			
TE Part # 1719043-1 SINGLE WIRE SEAL, GREEN	TE Part # 964972-1 EINZELLEITERDICHTNG	TE Part # 963530-1 EINZELLEITERDICHTNG	TE Part # 964971-1 EINZELLEITERDICHTNG
			
TE Part # CAT-H3399-B128 Heavy Duty Sealed Connector Series Backshells	TE Part # CAT-AM705-T273 AMP MCP, RECEPTACLE AND TAB	TE Part # 1394511-1 EINZELLEITDICHTG, WS	TE Part # 1823111-1 SINGLE WIRE SEAL, FOR WIRE 2.5 SQMM, BN


TE Part # 1394512-1
EINZELLEITDICHTG,BLTE Part # 2177018-1
SINGLE WIRE SEAL,AMP MCP6.3/4.8K,
YWTE Part # 2287497-1
SINGLE WIRE SEAL,1.5MM CONTACT
SYSTEM

Also in the Series


Heavy Duty Sealed Connector Series

Automotive Connector Caps & Covers
(25)

Automotive Housings(207)




Connector Seals & Cavity Plugs(5)



Data Connectivity Headers(2)



Data Connectivity Housings(16)

Other Automotive Connector
Accessories(34)

PCB Headers & Receptacles(1)

Customers Also Bought

TE Part # 5-867052-1
LOCKING CLIP CONT ASSY .025 SQTE Part # CH03542001
QSZH-125-NR2-STKTE Part # 1718091-1
AMP MCP 2.8 JPT HSG 17 POS ASSTE Part # 1326031-5
2.8MM BLD,SEAL,14AWGTE Part # 3-2208157-1
4POS, MIXED REC HSG, ASSY,
SEALED, COD CTE Part # 150572-2
MINI FASTON 110 REC 20-16 AWG
TPBRTE Part # 927860-2
KONTAKTBUCHSE 3,5MMTE Part # 1718758-3
MCON 1.2 LL TAB SWS AG



TE Part # 2236046-7
32POS, MIXED, MALE CONN., CLIP2,
COD A

Documents

Product Drawings

[4POS, MIXED REC HSG, ASSY, SEALED, COD B](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2-2208157-1_J.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-2208157-1_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-2208157-1_J.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[HDSCS Catalog](#)

English

Product Specifications

[Application Specification](#)

English