

150346-2 ✓ ACTIVE

FASTON | FASTON 110

TE Internal #: 150346-2

Quick Disconnects, Receptacle, 24 - 20 AWG Wire Size, .2 - .51 mm²


Wire Size, Mating Tab Width 2.8 mm [.11 in], Straight, Brass,

FASTON 110

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **.2 - .51 mm²**

Mating Tab Width: **2.8 mm [.11 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Features

Configuration Features

Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	2.8 mm [.11 in]
Mating Tab Thickness	.81 mm [.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support

With

Mating Retention Type

Dimple

Dimensions

Terminal Material Thickness

.3 mm [.012 in]

Product Length

15.29 mm [.6 in]

Compatible Insulation Diameter Range

2.03 - 3.05 mm [.08 - .12 in]

Wire Size

.2 - .51 mm²**Usage Conditions**

Insulation Option

Uninsulated

Operating Temperature Range

-40 - 110 °C [-40 - 230 °F]

Industry Standards

Compatible With Agency/Standards Products

UL

Packaging Features

Packaging Quantity

200

Packaging Method

Loose Piece/Carton

Other

Line

FASTON .110

Product ComplianceFor compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024 (240)

Candidate List Declared Against: JAN 2024 (240)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 925387-2
110 FASTON HSG. REC. 1P CLEAR




TE Part # 574860
DAHT FASTON 24-20 ASSY


Also in the Series | FASTON 110




Crimp Terminal Housings(13)



Insertion & Extraction Tools(1)



PCB Terminals(22)



Quick Disconnects(169)

Customers Also Bought



TE Part # 34805
TERM, PIDG, RT, 16-14 HD, #10




TE Part # 2-6609106-4
CORCOM P SERIES MULTI-FUNCTION INLET FIL



TE Part # 2-1879074-8
THS15 100R 5%



TE Part # T4062123004-001
RPC-M8-4MS-0.5SH-M8-4FS-PUR



Documents

Product Drawings

110 MINI FASTON,REC.,24-20 AWG,TPBR

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_150346-2_D.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_150346-2_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_150346-2_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Agency Approvals

UL Report

English