




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Position Assurance**

Connector Hardware Accessory Type: **TPA (Terminal Position Assurance)**

Primary Product Color: **Black**

Primary Product Material: **Nylon GF**

Number of Positions: **13**

Features

Product Type Features

Hardware Accessory Function	Position Assurance
Connector Hardware Accessory Type	TPA (Terminal Position Assurance)

Configuration Features

Number of Rows	1
Number of Positions	13

Body Features

Primary Product Color	Black
Primary Product Material	Nylon GF

Housing Features

Centerline (Pitch)	2.5 mm[.098 in]
--------------------	-----------------

Dimensions

Product Length	31.9 mm[1.255 in]
Product Height	2.51 mm[.099 in]

Usage Conditions



Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
------------------	-------------------------------

Packaging Features

Packaging Quantity	600
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1744423-1
EP 2.5 RCPT CONTACT, 24-20 AWG

TE Part # 2110989-1
EP 2.5 RCPT CONTACT, 26-22 AWG

TE Part # 1-1744417-3
13 POS EP 2.5 HSG, GLOW WIRE

TE Part # 1-1969442-3
EP 2.5 TPA Housing, 13 Pos

TE Part # 1-1969825-2
EP 2.5 TPA RETAINER, 12 POS

TE Part # 1-1969825-3
EP 2.5 TPA RETAINER, 13 POS

TE Part # 1969825-7
EP 2.5 TPA RETAINER, 7 POS

Also in the Series | Economy Power 2.5

Connector Contacts(6)

Connector Hardware(49)

PCB Headers & Receptacles(494)

Rectangular Power Connectors(43)

Wire-to-Board Connector Assemblies & Housings(311)

Customers Also Bought

TE Part # 177903-1
POWER DBL LOCK PLUG HSG 9P

TE Part # 1969613-4
4P PM PLUG VAL-U-LOK V0

TE Part # 2-1744036-6
06P ECONOMY POWER .200 CL HSG

TE Part # 63604-1
250 FASTON FLAG REC 18-12 AWG NPST



TE Part # 42800-1
187 FASTON REC 20-16 AWG BR

TE Part # 2-2304525-4
AMP DUOPLUG MK2 CONNECTOR 4P

TE Part # 2238135-2
RECEPTACLE, POSITIVE-LOCK, RAST 6.35

TE Part # 917531-1
040 MLC T.F. PLUG HSG 14P NATU

TE Part # 1438246-1
SPLICE, BUTT, HEATER WIRE 18-16 AWG BR

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1969443-3_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1969443-3_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1969443-3_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

7-1773461-6_EP2.5_Connector_Series

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English