



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers > TIMER ACCESSORIES



Protection & Strain Relief Accessory Type: **Cable Clamp**
Primary Product Color: **Black**
Primary Product Material: **PA GF**
Operating Temperature (Max): **120 °C [248 °F]**
Operating Temperature Range: **-40 - 120 °C [-40 - 248 °F]**

[All TIMER ACCESSORIES \(2\)](#)

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cable Clamp
---	-------------

Body Features

Primary Product Color	Black
Primary Product Material	PA GF

Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Quantity	3000
Packaging Method	Carton



Other

Serviceable	Yes
-------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-T4827-CH8172
Timer Connector Housing



TE Part # 964731-2
MICRO/JPT COVER

Customers Also Bought





TE Part # 1355328-1
2POS,AMP MCP 9.5,REC HSG ASSY,
SLD



TE Part # 35183
TERMINAL,SOLIS R 2 5/16



TE Part # 1534149-1
MQS RETAINER ,BLACK



TE Part # 794824-1
16P MINI UMNL PLUG HSG



TE Part # 1-1394052-1
VERSCHL-KAP21P,DICH



TE Part # 1-967628-4
FLACHSTE-GEH2,8 15P




TE Part # 1-962919-2
TAB 5.8x0.8 CONTACT CS SWS Ag



TE Part # 2208362-3
HPF 1.2 REC SWS AG (0.5MM)



TE Part # 1-926476-3
MOD 4 HSG



TE Part # 964731-1
MICRO/JPT ABDECKKAP

Documents

Product Drawings
BEFESTIGUNGSSCHALE

German

CAD Files

3D PDF

English

Customer View Model
ENG_CVM_964732-1_A.3d_igs.zip

English

Customer View Model
ENG_CVM_964732-1_A.3d_stp.zip

English

Customer View Model
ENG_CVM_964732-1_A.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.