




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: Latching, Locking & Retention, Mounting

Connector Hardware Accessory Type: Screw

Primary Product Material: Stainless Steel

Operating Temperature (Max): 105 °C [221 °F]

Operating Temperature Range: -40 - 105 °C [-40 - 221 °F]

Features

Product Type Features

Hardware Accessory Function	Latching, Locking & Retention, Mounting
Connector Hardware Accessory Type	Screw

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]

Packaging Features

Packaging Quantity	80
Packaging Method	Tray

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts













TE Part # 1648183-1
[291-10-01100=SA CONN,PIN](#)

Also in the Series | ELCON Drawer

		
Connector Contacts(35)	Connector Hardware(2)	Rectangular Power Connectors(32)

Customers Also Bought



 <p>TE Part # 1658641-2 HDP-20,PLUG,SIZE 5, 50 POSN</p>	 <p>TE Part # 1-66601-0 III+ SKT,18-14,30AU/FL,LP</p>	 <p>TE Part # 1648186-1 292-10-01100=SA CONN,SKT</p>	 <p>TE Part # 1766193-1 CONTACT,PIN,SIZE #12</p>
 <p>TE Part # 2-520084-2 ULTRAFAST 110 ASSY REC 22-18 TPBR LP</p>	 <p>TE Part # 205165-1 RECEPT ASSY,25 POSN,AMPLIMITE</p>	 <p>TE Part # 2-36161-4 TERMINAL,PIDG R IR 10 10</p>	 <p>TE Part # 1766232-1 CONTACT,PIN, .25 DIA</p>
 <p>TE Part # 234063-E STVROL BUT 500 CSI 2026 207 * AL J 2 340</p>	 <p>TE Part # CTS-S22-22 CONT SOC ASSY</p>		

Documents

Product Drawings

902-77-02113=SCREW,SHOULDER,10

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1650399-1_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1650399-1_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1650399-1_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages



POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED

English

Product Specifications

Application Specification

English