




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Rubber Plug**  
Primary Product Material: **NBR**  
Primary Product Color: **Black**  
Compatible Insulation Diameter Range: **1.4 - 2.1 mm [ .055 - .083 in ]**  
Resistance to Hydrocarbons: **Variable**

Features

Product Type Features

Connector Seal & Plug Type	Rubber Plug
----------------------------	-------------

Body Features

Primary Product Material	NBR
Primary Product Color	Black

Dimensions

Compatible Insulation Diameter Range	1.4 - 2.1 mm[.055 - .083 in]
--------------------------------------	------------------------------

Usage Conditions

Operating Temperature (Max)	65 °C, 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C[149 °F][158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F]
Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Other



Resistance to Hydrocarbons	Variable
Shore A Hardness	40
Contains Lubricant	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2822353-1  
250 TYPE RUBBER PLUG

Customers Also Bought



TE Part # 368050-1  
E-S MK-2(+) 16P CAP HSG

TE Part # 1897686-2  
MCP 1.5 SLD 18P TAB HSG

TE Part # 1897688-2  
MCP 1.5 SLD 18P ASS'Y

TE Part # 1897699-5  
DTB 11P PLUG HSG

TE Part # 2310488-1  
PROTECTION COVER

TE Part # 2328073-2  
HV 8MM; DEEP DRAWN SOCKET 90 DEG. ASSEMB

TE Part # 2307011-4  
STEEL,FERRULE,8MM HV,90 DEG, 50SQMM

TE Part # 2395934-1  
CSJ21 90DEG USW,TERMINAL ASS

TE Part # 9-1203514-5  
3 pos. fuse/relay adaptor

Documents

Product Drawings

070 TYPE NEW RUBBER PLUG S

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2822356-1\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2822356-1\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2822356-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

2822356-1

Rubber Plug, NBR, Black, .055 - .083 in [1.4 - 2.1 mm] Insulation Diameter, -30 - 105 °C  
[-22 - 221 °F] Operating Temperature



Product Specification

Japanese

Product Specification

English

Product Specification

Japanese