



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**
Mating Tab Width: **4.75 mm [.187 in]**
Mating Tab Thickness: **.81 mm [.032 in]**
Terminal Orientation: **Straight**
Contact Base Material: **Steel**

Features

Configuration Features

Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Quick Disconnect Terminal Type	Tab
Mating Tab Width	4.75 mm[.187 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Steel
Terminal Plating Material	Nickel
Barrel Type	Open

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------



Mating Retention Type	Dimple
-----------------------	--------

Dimensions

Terminal Material Thickness	.81 mm[.032 in]
Product Length	11.43 mm[.45 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 250 °C[-40 - 482 °F]

Industry Standards

Compatible With Agency/Standards Products	UL
---	----

Packaging Features

Packaging Quantity	1000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 42559-1 250 FASTON TAB NPST	 TE Part # 60006-2 250 FASTON TAB 18-14 AWG TPBR	 TE Part # 60006-1 250 FASTON TAB 18-14 AWG BR	 TE Part # 63402-3 312 FASTON TAB BR
 TE Part # 61960-1 187 FASTON TAB NPST	 TE Part # 63953-1 187 FASTON TAB	 TE Part # 41778 250 FASTON TAB 18-14 AWG TPBR	 TE Part # 626417-2 250 FASTON REC 22-18 AWG TPBR
 TE Part # 63402-2 312 FASTON TAB NPST			

Also in the Series | FASTON 187

 Crimp Terminal Housings(41)	 Insertion & Extraction Tools(1)	 Joints & Splices(1)	 PCB Terminals(42)
--	--	--	--



[Quick Disconnects\(208\)](#)




[Splices\(1\)](#)

Customers Also Bought



TE Part # 321889
[SOLIS R HT 22-16COMM22-18MIL 6](#)



TE Part # 1-480720-0
[02P CMNL PLUG HSG W/LOK NATL](#)



TE Part # 61117-1
[CMNL SOK 20-14 TPBR](#)



TE Part # 2267078-1
[TMS6T5B2M2RE](#)




TE Part # 8-1437565-1
[FSMCTATR=TACTILE SWITCH T&R](#)




TE Part # 2238141-1
[250 POS LOC REC 20-18 FLAG NIST](#)



TE Part # 61960-1
[187 FASTON TAB NPST](#)



TE Part # 41974
[SPLICE 1000-3200 CMA BR](#)



TE Part # 62162-1
[187 FASTON TAB TPBR](#)

Documents

Product Drawings

[187 FASTON TAB NPST](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_63771-1_D.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_63771-1_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_63771-1_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FASTON Tabs](#)

English

Product Specifications

[Application Specification](#)

English