

324599

✓ ACTIVE

SOLISTRAND | SOLISTRAND Budget

TE Internal #: 324599


Spade Tongue Terminal, 26 - 22 AWG, #2 / M2 Stud Size, 2.36 mm [.

093 in] Stud Diameter, Closed Barrel, Flanged, Tin, Uninsulated,

SOLISTRAND Budget

[View on TE.com >](#)

Terminals & Splices > Spade Terminals



Spade Terminal Type: Spade Tongue Terminal

Wire Size: 202 - 810 CMA

Stud Size: #2, M2

Features

Product Type Features

Stud Size #2, M2

Sealable No

Wire Insulation Support Retention Type Non-Insulation Support

Body Features

Product Weight .16 g

Contact Features

Spade Terminal Type Spade Tongue Terminal

Barrel Type Closed

Terminal Orientation Flanged

Terminal Plating Material Tin

Mechanical Attachment

Wire Insulation Support Without

Dimensions

Wire Size 202 - 810 CMA

Stud Diameter 2.36 mm[.093 in]

Tongue Thickness	.79 mm [.031 in]
Product Length	11.51 mm [.453 in]
Barrel Inside Diameter	.89 mm [.035 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	170 °C [338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Other

Line	Budget
------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 69363
DAHT STRATO SOLIS 26-20 ASSY

Also in the Series


SOLISTRAND Budget



Knife Disconnects(4)



Ring Terminals(108)



Spade Terminals(46)

Customers Also Bought



TE Part # 2-324608-2
PIDG Flanged Spade Tongue
Terminals



TE Part # 52921
TERMINAL,PIDG SPR SPD 26-22 2



TE Part # 60619-1
CMNL SOK PTPBR L/P



TE Part # 1-480424-0
04P CMNL PLUG HSG F/H NATL



Documents

Product Drawings

[TERMINAL,BUDG SPD FLG 26-22 2](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_324599_K.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_324599_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_324599_K.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[RADIATION_RESISTANT_PRE-INSULATED_TERMINALS_SPLICES](#)

English