




Terminals & Splices > Automotive Terminals > MULTILOCK, RECEPTACLE AND TAB



Terminal Type: **Tab**

Mating Tab Width: **1.8 mm [.071 in]**

Mating Tab Thickness: **.64 mm [.025 in]**

Terminal Transmits: **0 - 24 A (Low Power)**

Wire Size: **22 - 20 AWG**

All MULTILOCK, RECEPTACLE AND TAB (110)

Features

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body

Contact Features

Contact Size	1.7mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	6 A
Crimp Type	F-Crimp
Terminal Type	Tab
Mating Tab Width	1.8 mm[.071 in]
Mating Tab Thickness	.64 mm[.025 in]
Interface Plating	Tin (Sn)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions



Wire Size	.3 - .5 mm ²
Wire Size Search	20 AWG, 21 AWG, 22 AWG

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C[176 °F][185 °F][194 °F][212 °F][221 °F]
Operating Temperature Range	-30 - 105 °C[-22 - 221 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	4000
Packaging Method	Reel

Other

Terminal Transmits	0 - 24 A (Low Power)
--------------------	----------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits





as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 9-1579007-1 EXTRACTION TOOL	 TE Part # CAT-M9194-CH8172 MULTILOCK, CONNECTOR HOUSING	 TE Part # 2151090-1 OCEAN_2.0_Applicator-S-070F080BX-RSM	 TE Part # 2151090-2 OCEAN_2.0_Applicator-S-070F080BX-RSA
 TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp	 TE Part # 7-2151090-7 OCEAN_2.0_SPARE_PART_KIT-070F080BX	 TE Part # 7-2151090-1 OCEAN_2.0_Applicator-S-070F080BX	 TE Part # 7-2151090-2 OCEAN_2.0_Applicator-S-070F080BX

Also in the Series | Multilock Connector System

 Automotive Connector Caps & Covers (10)	 Automotive Connector Locks & Position Assurance(3)	 Automotive Housings(455)	 Automotive Terminals(115)
 Connector Seals & Cavity Plugs(2)	 Insertion & Extraction Tools(6)	 Other Automotive Connector Accessories(12)	 PCB Headers & Receptacles(152)

Customers Also Bought



 TE Part # 1379675-5 TH/.025 CONNECTOR SYSTEM, HOUSING	 TE Part # 1719183-1 MQS, CONNECTOR HOUSING	 TE Part # 1564984-1 AMP MCP 2.8K, CONTACT, SWS	 TE Part # 1633966-6 CRIMPER, INSULATION O
 ANVIL REPRESENTATION ONLY TE Part # 1803426-2 ANVIL, COMBINATION, NO JOG, END FEED	 CRIMPER REPRESENTATION ONLY TE Part # 2-1803224-4 CRIMPER, WIRE F	 ANVIL REPRESENTATION ONLY TE Part # 2217984-3 ANVIL	 TE Part # 7-568176-0 CRIMPER, WIRE (.050" 'F')

Documents

Product Drawings

070 MULTILOCK TAB CONTACT

English

CAD Files

Customer View Model

ENG_CVM_282377-1_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_282377-1_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_282377-1_A1.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

APPLICATION SPECIFICATION FOR 070 SR. MULTILOCK* TAB

English

Application Specification

English

Application Specification

German

