


Terminals &amp; Splices &gt; Splices

Splice Type: **Butt Splice**Wire Size: **3.31 - 5.26 mm<sup>2</sup>**Sealable: **No**Splice Features: **Standard**

## Features

### Product Type Features

Splice Accessory Type	Splice
Splice Type	Butt Splice
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

### Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

### Electrical Characteristics

Operating Voltage	600 V
-------------------	-------

### Body Features

Insulation Type	Pre-Insulated
Insulation Material	Nylon
Product Weight	3.824 g
Splice Features	Standard
Primary Product Color	Yellow

### Contact Features

Military Part Class	Class I, Class II
Contact Base Material	Copper
Barrel Type	Closed

### Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

### Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

### Dimensions

Wire Size	5180 - 13100 CMA
Compatible Insulation Diameter Range	5.59 mm[.22 in]
Barrel Inside Diameter	5.64 mm[.222 in]
Product Length	42.06 mm[1.656 in]

### Usage Conditions

Insulation Option	Fully Insulated
Operating Temperature Range	105 °C[221 °F]

### Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

### Industry Standards

Government Qualified Splice	Yes
-----------------------------	-----

### Packaging Features

Packaging Quantity	25
Packaging Method	Loose Piece

### Product Compliance

For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I &lt; 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

## Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts




TE Part # 320570  
SPICE BUTT PIDG 12-10




TE Part # 1SET141016R0000  
SP060-N


## Also in the Series | PIDG




Compression Connectors(17)




Crimp Terminal Housings(1)




Crimp Wire Pins, Tabs & Ferrules(41)




Hand Crimping Tools(2)




Knife Disconnects(11)




PCB Terminals(5)




Quick Disconnects(47)



Ring Terminals(589)



Spade Terminals(230)



Special Purpose Terminals(1)



Splices(43)

## Customers Also Bought

TE Part # 814716-000  
222A132-3/42-0TE Part # 2-35112-2  
PIDG Ring Tongue TerminalsTE Part # 819100-000  
301A511-51-0TE Part # 819104-000  
462A422-51-0TE Part # 1423695-7  
W58-XA6A4A-3=CKTBKR,THERM,PB,QTE Part # 1SNK900606R0000  
LH-JTE Part # 2273054-1  
M12 Female pnl Mld Rear Mt PG9 pigt  
ATE Part # 8-320559-5  
SPLC BUTT PIDG 22-16C 22-18MTE Part # 821046-000  
562A032-4/42-0

## Documents

**Product Drawings**[SMP 0-0320570-0](#)

English

**CAD Files**[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2-1377174-3\\_C1.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2-1377174-3\\_C1.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2-1377174-3\\_C1.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.**Datasheets & Catalog Pages**[RADIATION\\_RESISTANT\\_PRE-INSULATED\\_TERMINALS\\_SPLICES](#)

English