



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: **Housing**  
Connector & Housing Type: **Receptacle**  
Connector System: **Wire-to-Board**  
Number of Positions: **2**  
Centerline (Pitch): **10.16 mm [ .4 in ]**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Body Features

Primary Product Color	Black
-----------------------	-------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Mating Retention	With
------------------	------



Housing Features

Centerline (Pitch)	10.16 mm[.4 in]
--------------------	-----------------

Usage Conditions

Operating Temperature Range	-30 - 105 °C
-----------------------------	--------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 292352-1  
PLUG HOUSING FOR 2P HIGH  
CURRENT DRAWER

Also in the Series | Dynamic 3000 Series

<div></div> <div>Connector Contacts(94)</div>	<div></div> <div>Connector Hardware(8)</div>	<div></div> <div>Insertion &amp; Extraction Tools(2)</div>	<div></div> <div>PCB Headers &amp; Receptacles(283)</div>
<div></div> <div>PCB Terminal Blocks(25)</div>	<div></div> <div>Standard Rectangular Connectors(2)</div>	<div></div> <div>Wire-to-Board Connector Assemblies &amp; Housings(152)</div>	

Customers Also Bought

<div></div> <div>TE Part # 1-292215-7 MINI CT SGL RELAY 17P NAT</div>	<div></div> <div>TE Part # 7-179228-0 AMP COMMON TERMINATION HOUSINGS</div>	<div></div> <div>TE Part # 1981377-2 HYBRID MINI DRAWER</div>	<div></div> <div>TE Part # 1981536-1 REC ASSY 1.5 MINI CT SF HYBRID DRAWER</div>
<div></div> <div>TE Part # 9-292112-4 MT REC ASSY (#26,28)</div>	<div></div> <div>TE Part # 2155924-1 SPRING, CONN CLAMP</div>	<div></div> <div>TE Part # 9-292155-0 SGL HDR PANEL MOUNT ASSY</div>	<div></div> <div>TE Part # 9-292155-1 SGL HDR PANEL MOUNT ASSY</div>



Documents

Product Drawings

RECEPTACLE HOUSING FOR 2P HIGH CURRENT D

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_292353-1\_B.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_292353-1\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_292353-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Crimping of D-5000 Contacts For High Current Hybrid Drawer Connector

English

Application Specification

English