




TE Internal #: 8-55856-3  
Closed Ring Tongue Terminal, 12 - 10 AWG, M4 / #8 Stud Size, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated  
[View on TE.com >](#)

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**  
Wire Size: **5180 - 13100 CMA**  
Stud Size: **#8, M4**

Features

Product Type Features

Terminal Features	Heavy Duty
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#8, M4
Sealable	Yes
Wire Insulation Support Retention Type	Insulation Support

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Wire Size	5180 - 13100 CMA
Stud Diameter	4.17 mm[.164 in]
Tongue Thickness	1.07 mm[.042 in]
Product Length	35.76 mm[1.405 in]



Compatible Insulation Diameter (Max)	6.1 mm[.24 in]
Compatible Insulation Diameter Range	6.1 mm[.24 in]

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	125 °C[257 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	25
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

<p>TE Part # 55856-1 12-10 PRE-INSUL SEALED TERM R</p>	<p>TE Part # 55893-1 CRIMP.TOOL 22-10(SEALED PROD.)</p>	<p>TE Part # 55894-1 CRIMP.TOOL 16-8 (SEALED PROD.)</p>
--	---	---

Customers Also Bought

<p>TE Part # W8S-P012 WEDGE LOCK, 8P, PLG, GRN, SL RET, DT</p>	<p>TE Part # 103308-5 020 LOPRO HDR SP 15DP</p>	<p>TE Part # 5-747904-2 9 Plug Solder Cup, Gold Flash,</p>	<p>TE Part # 5103310-8 A/L LOW PRO HDR 40P RA BLACK</p>
<p>TE Part # 1658621-6 26 NOVO MIL/CTR 15DP, LEAD FREE</p>	<p>TE Part # 814416-000 202A132-4/42-0</p>	<p>TE Part # 1060-16-0644 PIN, SF, SIZE 16, 16-20, AU/SN</p>	<p>TE Part # DT06-12SC PLG, 12P, GRN, N, C</p>
<p>TE Part # 1060-20-0144 PIN, SF, SIZE 20, 16-22, AU/SN</p>	<p>TE Part # DT06-08SA-KIT DT06-08SA AND WEG ONLY</p>		

Documents

Product Drawings  
12-10 PRE-INSUL SEALED TERM R  
English



CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_8-55856-3\\_G.2d\\_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_8-55856-3\\_G.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_8-55856-3\\_G.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English