

208626-2 ✓ ACTIVE

TE Internal #: 208626-2

Rectangular Connector Housings, Cable-to-Panel, 62 Position, .197 in [5 mm] Centerline, 5 Row, Valox, Receptacle, Socket, Wire & Cable, Signal

[View on TE.com >](#)



Connectors > Rectangular Connectors > Rectangular Connector Housings



Connector System: **Cable-to-Panel**

Number of Positions: **62**

Centerline (Pitch): **5 mm [.197 in]**

Number of Rows: **5**

Housing Material: **Valox**

Features

Product Type Features

Connector System	Cable-to-Panel
Connector & Housing Type	Receptacle
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	62
Number of Rows	5

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Contact Features

Contact Current Rating (Max)	7.5 A
Contact Type	Socket

Mechanical Attachment

Connector Mounting Type	Panel Mount
-------------------------	-------------

Housing Features

Housing Color	Black
Centerline (Pitch)	5 mm [.197 in]
Housing Material	Valox

Dimensions

Connector Height	40.18 mm [1.582 in]
	1.549 in
Product Length	98.3 mm [3.87 in]
Row-to-Row Spacing	5 mm [.197 in]

Usage Conditions

Operating Temperature Range	-55 - 130 °C [-67 - 266 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought



TE Part # 50845-2
TERMINAL,PIDG PTFE R 12-10 10



TE Part # 4-2027183-3
KUEP-11D15-125=RELAY,3A,2C,
AGCDO, QC.187,

Documents

Product Drawings

[HSG RCPT 62 POS W/J.S. RET.](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_208626-2_M.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_208626-2_M.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_208626-2_M.3d_igs.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

[Application Specification](#)

English

[METRIMATE Self-Locking Connectors](#)

Japanese

[Application Specification](#)

Japanese

Agency Approvals

[CSA Certificate](#)

English

208626-2

Rectangular Connector Housings, Cable-to-Panel, 62 Position, .197 in [5 mm]
Centerline, 5 Row, Valox, Receptacle, Socket, Wire & Cable, Signal

