

Relays & Contactors > Relays > Mil-Aero Relays > Half-Size Relays

Contact Arrangement: **2 Form C, DPDT, 2 C/O**Input Voltage: **26.5 VDC**Contact Current Rating: **2 A**Coil Voltage Rating: **26.5 VDC**Coil Resistance: **700 Ω**

Features

Configuration Features

Contact Arrangement	2 Form C, DPDT, 2 C/O
---------------------	-----------------------

Electrical Characteristics

Input Voltage	26.5 VDC
Contact Current Rating	2 A
Coil Voltage Rating	26.5 VDC
Coil Resistance	700 Ω
Coil Power Rating DC	1003 mW

Body Features

Enclosure Type	Hermetically Sealed
----------------	---------------------

Termination Features

Relay Connection Type	Terminals
Terminal Configuration	Solder Hook Terminals

Mechanical Attachment

Product Mount Type	Panel
--------------------	-------

Usage Conditions

Operating Temperature Range	-65 - 125 °C
-----------------------------	--------------

Operation/Application

Vibration Resistance	30G's, 10 - 3000Hz
Actuating System	DC
Shock Resistance	100G's, 6ms
Coil Magnetic System	Non-Polarized, Monostable

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts






TE Part # 1617121-9
JMAC-26XM = M39016/9-062M

Also in the Series | [CII HMB Relay](#)

Half-Size Relays(9)

Customers Also Bought

TE Part # 205203-8
CRIMP SNAP RCPT ASSY,SIZE 1TE Part # 205204-9
CRIMP SNAP PLUG ASSY,SIZE 1TE Part # 814711-000
202A121-3/42-0TE Part # 1-640508-0
03P MR II CAP HSG V0TE Part # 1-640518-0
03P MR II PLUG HSGTE Part # 5053094080
RNF-100-1/4-0-SPTE Part # 320559
PIDG SPLICE 22-16COMM 22-18MIL

Documents

Product Drawings

[HMB1131K01M = M39016/22-007M](#)

English

Datasheets & Catalog Pages

[5-1773450-5_sec1_HFW](#)

English

RELAY

English