




Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover Assembly**
Strain Relief: **With**
Primary Product Color: **Black**
Primary Product Material: **PA GF**
Number of Positions: **12**

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover Assembly
---	----------------

Configuration Features

Number of Positions	12
---------------------	----

Body Features

Primary Product Color	Black
Primary Product Material	PA GF

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F]
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]

Packaging Features

Packaging Quantity	600
Packaging Method	Carton

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)






EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # CAT-SIGH262 Signal Header	 TE Part # 968473-1 12POS MQS REC	 TE Part # 929050-1 MQS COVER 12P	 TE Part # 968530-1 MQS HEBEL
---	---	--	--


Also in the Series | MQS



Automotive Connector Caps & Covers (113)



Automotive Connector EMC Shielding (3)



Automotive Connector Locks & Position Assurance(26)



Automotive Housings(379)



Automotive Terminals(88)



Connector Seals & Cavity Plugs(27)



Insertion & Extraction Tools(42)




Other Automotive Connector Accessories(7)




PCB Headers & Receptacles(143)

Customers Also Bought



TE Part # 968265-1
32POS MQS REC




TE Part # 1534222-2
MQS ABDECKAPP2X16P



TE Part # 185879-1
26W MQS COVER ASSY YELLOW




TE Part # 2141230-1
3POS,PIN DIA 8.0,PIN HSG,ASSY,SLD



TE Part # 1534390-1
STD POW TIM HSG 5P



TE Part # 185879-2
26W MQS COVER ASSY BLUE



TE Part # 1420001-1
MQS VERSCHL.PLATTE



TE Part # 1355863-1
MICRO RELAIS INSERT

Documents



Product Drawings

MQS ABDEKA M.HEB12P

English

CAD Files

Customer View Model

ENG_CVM_929051-1_B2.3d_igs.zip

English

Customer View Model

ENG_CVM_929051-1_B2.3d_stp.zip

English

Customer View Model

ENG_CVM_929051-1_B2.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.