

Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories > LEAVYSEAL Locking Slides



Automotive Connector Accessory Type: **Mounting Clip**

Primary Product Material: **PBT GF**

Primary Product Color: **Yellow**

Operating Temperature Range: **-40 - 140 °C [-40 - 284 °F]**

[All LEAVYSEAL Locking Slides \(7\)](#)

## Features

### Product Type Features

Automotive Connector Accessory Type	Mounting Clip
-------------------------------------	---------------

### Body Features

Primary Product Material	PBT GF
--------------------------	--------

Primary Product Color	Yellow
-----------------------	--------

### Usage Conditions

Compatible With Connector Style	Housing For Male Terminals
---------------------------------	----------------------------

Operating Temperature Range	-40 - 140 °C [-40 - 284 °F]
-----------------------------	-----------------------------

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Packaging Features

Packaging Quantity	750
--------------------	-----

Packaging Method	Box
------------------	-----

### Other

Serviceable

Yes

## Product Compliance


For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts




TE Part # CAT-L489-CH8172  
LEAVYSEAL Housings


## Also in the Series | [LEAVYSEAL](#)




Automotive Connector Caps &amp; Covers (18)



Automotive Housings(79)



Insertion &amp; Extraction Tools(5)





Other Automotive Connector Accessories(15)



PCB Headers &amp; Receptacles(16)

## Customers Also Bought

TE Part # 2112045-1  
LEAVYSEAL Locking SlidesTE Part # 1703806-1  
LEAVYSEAL Mounting AccessoriesTE Part # 1703810-1  
SLIDE,TAB HSG GROUP BTE Part # 2112299-1  
PROTECTION CAP, FOR REC.HSG GRTE Part # 825-066-101  
405mm AM/ FM/ DAB ANTENNA RODTE Part # 87805-000  
PSS-X1379B WITH BRACKETTE Part # 10218545-00  
PSS-X1541A, VANE SENSORTE Part # K1150640-4  
Push Button Switch TS-221-SW121  
CV750

## Documents

### Product Drawings

SLIDE,FOR 26POS TAB HSG

English

### CAD Files

3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2112045-2\\_A\\_c-2112045-2-a.2d\\_dxf.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_2112045-2\\_A\\_c-2112045-2-a.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_2112045-2\\_A\\_c-2112045-2-a.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

**Datasheets & Catalog Pages**

**CONNECTOR SELECTOR**

English

**Product Specifications**

[Application Specification](#)

German