



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: **Housing**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Wire**

Number of Positions: **8**

Centerline (Pitch): **4.14 mm [.162 in]**

Features

Product Type Features

|                                   |              |
|-----------------------------------|--------------|
| Rectangular Power Connector Type  | Housing      |
| Connector & Housing Type          | Receptacle   |
| Connector System                  | Wire-to-Wire |
| Sealable                          | No           |
| Connector & Contact Terminates To | Wire & Cable |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Positions | 8 |
| Number of Rows      | 2 |

Electrical Characteristics

|                   |         |
|-------------------|---------|
| Operating Voltage | 600 VDC |
|-------------------|---------|

Contact Features

|                                  |         |
|----------------------------------|---------|
| Multiple Contact Types           | Without |
| Contact Retention Within Housing | Without |
| Contact Type                     | Pin     |



Termination Features

|                                    |       |
|------------------------------------|-------|
| Termination Method to Wire & Cable | Crimp |
|------------------------------------|-------|

Mechanical Attachment

|                         |                            |
|-------------------------|----------------------------|
| Panel Mount Feature     | Without                    |
| Connector Mounting Type | Cable Mount (Free-Hanging) |

Housing Features

|                    |                  |
|--------------------|------------------|
| Centerline (Pitch) | 4.14 mm[.162 in] |
| Housing Color      | Natural          |
| Housing Material   | Nylon            |

Dimensions

|                    |                  |
|--------------------|------------------|
| Row-to-Row Spacing | 4.14 mm[.162 in] |
|--------------------|------------------|

Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 - 105 °C[-67 - 221 °F] |
|-----------------------------|----------------------------|

Operation/Application

|                     |                |
|---------------------|----------------|
| Circuit Application | Power & Signal |
|---------------------|----------------|

Industry Standards

|                                             |                               |
|---------------------------------------------|-------------------------------|
| UL Rating                                   | Recognized                    |
| Compatible With Agency/Standards Products   | UL                            |
| Compatible With Approved Standards Products | UL E28476                     |
| UL Flammability Rating                      | UL 94V-2                      |
| Glow Wire Rating                            | Standard Part - Not Glow Wire |

Packaging Features

|                    |           |
|--------------------|-----------|
| Packaging Quantity | 400       |
| Packaging Method   | Bag & Box |

Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                             |
|-----------------------------------------------|---------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                   |
| EU ELV Directive 2000/53/EC                   | Compliant                                   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold     |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240) |







Candidate List Declared Against: JAN 2024  
(240)  
Does not contain REACH SVHC

|                           |                                                                                     |
|---------------------------|-------------------------------------------------------------------------------------|
| Halogen Content           | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability                                        |




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

|                                                                                                                                               |                                                                                                                                              |                                                                                                                                               |                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>TE Part # 1-794228-0<br>MINI UMNL2 PIN 22-18 AWG AU LP | <br>TE Part # 794224-1<br>MINI UMNL2 PIN 30-26 AWG SN LP  | <br>TE Part # 794229-3<br>MINI UMNL2 SOK 22-18 AWG AU LP | <br>TE Part # 1-794218-0<br>MINI UMNL2 PIN 26-22AWG AU LF |
| <br>TE Part # 1-794219-0<br>MINI UNML2 SOK 26-22 AWG AU LF | <br>TE Part # 1-794223-0<br>MINI UMNL2 SCKT 20-16AWG 30AU | <br>TE Part # 794222-1<br>MINI UMNL2 PIN 20-16AWG SN     | <br>TE Part # 1-794221-0<br>MINI UMNL2 SOK 22-18AWG AU LF |





|                                                                                                                                                   |                                                                                                                                                   |                                                                                                                                                    |                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part # 794218-1<br/>MINI UMNL2 PIN 26-22 AWG SN</p>       |  <p>TE Part # 794220-1<br/>MINI UMNL2 PIN 22-18 AWG SN</p>       |  <p>TE Part # 794223-1<br/>MINI UMNL2 SCKT 20-16AWG SN</p>      |  <p>TE Part # 794221-1<br/>MINI UMNL2 SOK 22-18 AWG SN</p>       |
|  <p>TE Part # 794219-1<br/>MINI UMNL2 SOK 26-22 AWG SN</p>      |  <p>TE Part # 1-794220-0<br/>MINI UMNL2 PIN 22-18 AWG AU</p>    |  <p>TE Part # 1-794226-0<br/>MINI UMNL2 PIN 26-22AWG LP LF</p> |  <p>TE Part # 1-794227-0<br/>MINI UMNL2 SOK 26-22 AWG LP LF</p> |
|  <p>TE Part # 1-794229-0<br/>MINI UMNL2 SOK 22-18AWG LP LF</p> |  <p>TE Part # 1-794231-0<br/>MINI UMNL2 SCKT 20-16AWG LP A</p> |  <p>TE Part # 794226-1<br/>MINI UMNL2 PIN 26-22 AWG SN LP</p> |  <p>TE Part # 794227-1<br/>MINI UMNL2 SOK 26-22 AWG SN LP</p>  |

Also in the Series | Mini-Universal MATE-N-LOK 2

|                                                                                                                   |                                                                                                                                |                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
|  <p>Connector Contacts(35)</p> |  <p>Insertion &amp; Extraction Tools(1)</p> |  <p>Rectangular Power Connectors(45)</p> |
|-------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|

Customers Also Bought

|                                                                                                                                              |                                                                                                                                                  |                                                                                                                                                    |                                                                                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part # 5179031-1<br/>0.8FH,P08H.5,040,08/Sn,TU</p> |  <p>TE Part # 104257-9<br/>10 MTE RCPT HSG SR LATCH .100</p> |  <p>TE Part # 794210-1<br/>20P MINI UMNL2 PLUG HSG UL94V0</p> |  <p>TE Part # 5-103908-3<br/>04 MTE HDR SRST LATCH W/HLDWN</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|





TE Part # 1217094-1  
[RCPT 250 POS-LOCK 18-14 0126BR](#)



TE Part # 2-2176403-5  
[3550 10R 1%](#)



TE Part # 9-2176404-6  
[3550 120R 5%](#)



TE Part # 770051-1  
[06P UMNL II CAP-FRONT 94VO](#)



TE Part # 770052-1  
[06P UMNL II CAP REAR 94VO](#)



TE Part # C67617-000  
[DWP-125-3/4-KIT3-REFILL](#)

Documents

Product Drawings

[08P MINI UMNL2 CAP HSG UL94V2](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_794246-1\\_D.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_794246-1\\_D.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_794246-1\\_D.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_794246-1\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_794246-1\\_B.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_794246-1\\_B.2d\\_dxf.zip](#)

English

[3D PDF](#)

English



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages  
[SOFT\\_SHELL\\_PIN\\_AND\\_SOCKET\\_CONNECTORS\\_CATALOG](#)  
English

Product Specifications  
[Application Specification](#)  
English

Instruction Sheets  
[Instruction Sheet \(U.S.\)](#)  
English