

Rail D-Sub Backshells

TE Internal #: 1-2308265-9

Quick Lock Pins, Rail D-Sub Backshells

[View on TE.com >](#)

Connectors > Connector Accessories > Connector Hardware > Quick Lock Pins for D-Sub with Threaded Inserts

Hardware Accessory Function: **Latching, Locking & Retention**Connector Hardware Accessory Type: **Quick Lock Pins**Operating Temperature (Max): **90 °C [194 °F]**Operating Temperature Range: **-40 - 90 °C [-40 - 194 °F]**[All Quick Lock Pins for D-Sub with Threaded Inserts \(10\)](#)

Features

Product Type Features

| | |
|-----------------------------------|-------------------------------|
| Hardware Accessory Function | Latching, Locking & Retention |
| Connector Hardware Accessory Type | Quick Lock Pins |

Mechanical Attachment

| | |
|-------------|------|
| Thread Size | None |
|-------------|------|

Usage Conditions

| | |
|-----------------------------|---------------------------|
| Operating Temperature (Max) | 90 °C[194 °F] |
| Operating Temperature Range | -40 - 90 °C[-40 - 194 °F] |

Product Compliance

[For compliance documentation, visit the product page on TE.com >](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2024 (240) |

Candidate List Declared Against: JAN 2024

(240)

SVHC > Threshold:

Pb (3.5% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | Rail D-Sub Backshells



Customers Also Bought



Documents

Product Drawings**QL SET FOR VARIANT B 9**

English

CAD Files**3D PDF**

3D

Customer View Model

[ENG_CVM_CVM_1-2308265-9_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-2308265-9_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-2308265-9_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.**Datasheets & Catalog Pages****Rail D-Sub Backshells Flyer**

English