



Connectors > Connector Accessories > Connector Backshells > Circular DIN Backshells



Connector Backshell Product Type: **Backshell**

Primary Product Material: **PA6**

Sealable: **No**

Operating Temperature Range: **-40 - 120 °C [ -40 - 248 °F ]**

[All Circular DIN Backshells \(16\)](#)

Features

Product Type Features

Connector Backshell Product Type	Backshell
Sealable	No

Body Features

Cable Exit Angle	90°
Primary Product Color	Black
Primary Product Material	PA6

Mechanical Attachment

Strain Relief	With
---------------	------

Dimensions

Compatible Cable Diameter Range	6 - 10 mm[.236 - .394 in]
---------------------------------	---------------------------

Usage Conditions

Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------



Packaging Features

Packaging Quantity	400
Packaging Method	Bag & Box

Other

Serviceable	Yes
-------------	-----

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # CAT-C4962-CH8172  
Circular DIN Housings



TE Part # 1718230-1  
1,5MM PIN HSG 5-7 POS ASSY



TE Part # CAT-H3399-CH8172  
Heavy Duty Sealed Connector Series Housings



TE Part # 4-967325-1  
2,5MM BU-GEH 4P,BL

Customers Also Bought



TE Part # 1534789-1  
Circular DIN Backshells



TE Part # 2-1703818-1  
4POS,TAB 2.8X0.8,TAB HSG,ASSY,



TE Part # 1379217-3  
5POS MIXED MQS REC COD Z



TE Part # 1718230-1  
1,5MM PIN HSG 5-7 POS ASSY



TE Part # 1-160759-2  
250 PL MKI REC. 20-15AWG PTPB



TE Part # 929975-8  
ROUND CONNECTOR SYSTEM, PIN AND SOCKET



TE Part # 927827-1  
SPT REC 6.3 Contact SRC Sn



TE Part # 1379218-2  
COVER FOR 5W MPQ+MQS HSG

Documents

Product Drawings

MULTI CORE CABLE ADAPTER 90 DEGREE

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1418919-1\_C.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1418919-1\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1418919-1\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English