



Relays & Contactors > Contactors > Mil-Aero Contactors > DC Contactors



Contact Arrangement: **SPST**

Wire Size: **.65 mm²**

Contact Current Rating: **150 A**

Coil Resistance: **96 Ω**

Features

Configuration Features

Contact Arrangement	SPST
Number of Poles	1

Electrical Characteristics

Contact Current Rating	150 A
Coil Resistance	96 Ω
Coil Voltage Rating	28 VDC
Contact Switching Voltage (Max)	1000 VDC

Termination Features

Mains Termination Connection Type	M5 Female
Auxiliary Termination Connection Type	Wire Connector
Coil Termination Connection Type	Connector

Mechanical Attachment

Torque (Main)	30 - 40 in-lbs
Product Mount Type	Chassis

Dimensions

Wire Size	.65 mm ²
-----------	---------------------

Product Compliance



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 2-1618409-1
K1K06X024EAFA = CONTACTOR, SPST-NO




TE Part # 2-1618396-7
EV200GAANA=RELAY, EV200 SPST-NO




TE Part # 1618406-1
LEV200B5ANF=Contactor, SPST-NC



TE Part # 1618408-3
KCS01X024EACA=CONTACTOR, CURRENT SENSE



TE Part # 9-1618389-8
LEV100A5ANG=RELAY, SPST, 24Vdc




TE Part # 8-1618412-7
LEV100H4CNG=CONTACTOR WITH AUX SPST, 12V



Also in the Series | Kilovac LEV100



DC Contactors(11)



High Voltage Relays(2)

Customers Also Bought



TE Part # 1-967625-5
JUN-POW-TIM GEH 21P



TE Part # 1-1630027-1
HSC300 330R 5%



TE Part # 1445022-8
MICRO MNL RFECEPT HSG SINGLE R



TE Part # 130230
SOLIS R 12-10 6MM



TE Part # 1-2176340-7
CRGCQ 0603 470R 5%



TE Part # 1-2176328-3
CRGP 1206 100R 1%



TE Part # 1-2208103-5
2POS,HVA,2 PHM,SHUNTED,HYB ASSY



TE Part # BSA078N00420235000
923 PLUG



TE Part # BKA908N0085055A000
917 EXTENSION, SPEEDTEC

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1618408-2_A.2d_dxf.zip

English

Customer View Model



[ENG_CVM_CVM_1618408-2_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1618408-2_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[5-1773450-5_sec7_EV100](#)

English

SD-LEV100H = CONTACTOR WITH AUX CONTACT

English