

788153-2 ✓ ACTIVE

AMP | AMP CPC

TE Internal #: 788153-2

Circular Power Connectors, Housing, 600 VDC, Wire-to-Wire, 4

Position, Sealable, Wire & Cable, Plug, Reverse Gender, Pin, Signal,
Black, AMP CPC

[View on TE.com >](#)



Connectors > Power Connectors > Circular Power > Circular Power Connectors > One-Piece Connector, Sealed, CPC Series 1



Connector Product Type: **Housing**

Operating Voltage: **600 VDC**

Connector System: **Wire-to-Wire**

Number of Positions: **4**

Sealable: **Yes**

[All One-Piece Connector, Sealed, CPC Series 1 \(33\)](#)

Features

Product Type Features

Connector Seal & Plug Type	Wire Entry Seal
Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Plug
Circular Connector Shell Type	All Plastic

Configuration Features

Reverse Numbering	With
Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Contact Features

Reverse Gender	Yes
----------------	-----

Contact Type	Pin
--------------	-----

Contact Protection	With
--------------------	------

Mechanical Attachment

Mating Alignment Type	Keyed
-----------------------	-------

Mating Alignment	With
------------------	------

Mating Retention Type	Threaded Coupling
-----------------------	-------------------

Thread Size	5/8-24 UNEF-2A
-------------	----------------

Polarization Code	A
-------------------	---

Mating Retention	With
------------------	------

Panel Mount Feature	Without
---------------------	---------

Housing Features

Body Orientation	Straight
------------------	----------

Housing Color	Black
---------------	-------

Housing Material	Nylon 6/6
------------------	-----------

Circular Connector Shell Size	11
-------------------------------	----

Usage Conditions

Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]
-----------------------------	----------------------------

Fluid Resistance	Immersion
------------------	-----------

Operation/Application

Circuit Application	Signal
---------------------	--------

Shielded	No
----------	----

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	100
--------------------	-----

Packaging Method	Bag
------------------	-----

Product Compliance


For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts


			
TE Part # CAT-AM71-C83998Y One-Piece Connector, Sealed, CPC Series 1	TE Part # CAT-AM71-C83998B CPC Cable Clamps	TE Part # CAT-AM71-C83998 CPC Heat Shrink Strain Reliefs	TE Part # 206516-1 CPC PLUG ASSEMBLY SIZE 11-4
			
TE Part # CAT-AM71-C83998K Circular Connector, Environmentally Sealed, CPC Series 6	TE Part # CAT-AM71-T98 Pin and Socket Contacts, Type II	TE Part # CAT-AM71-T98E Pin and Socket Contacts, Type III, LP	TE Part # CAT-AM71-T98D Pin and Socket Contacts, Type III, LP EMEA



Also in the Series


AMP CPC





Sealing Sleeves(2)

Customers Also Bought

TE Part # 796094-2
One-Piece Connector, Sealed, CPC Series 1TE Part # 81665-3
ECONOSEAL, FLANGE GASKETTE Part # 5-2176231-1
3522 1K2 1% 3WTE Part # 5677812004
RNF-3000-24/8-6-STKTE Part # 0043430001
TMS-SCE-1K-1/8-2.0-4TE Part # T4161320004-007
RPC-M12-FS-4CON-PUR-10.0SHTE Part # 1466287-1
031-0003-0001TE Part # 1466328-1
132-0115-0002=PLUG,STR GC-50

Documents

Product Drawings

[SLD CPC PLUG ASSY,11-4,REV SEX](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_788153-2_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_788153-2_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_788153-2_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications](#)

English

Product Specifications

[Product Specification](#)

English