




## MT10:12-ALK-M5-16

Ruland Adjustable Lever Clamping Kit, Lever Length 30mm, Stud Thread M5, Zinc Lever With Plastic Coating, Stainless Steel Inserts



### Description

Ruland MT10:12-ALK-M5-16 is an adjustable lever clamping kit with an M5 thread, 16mm sleeve and stud length, 30mm lever length, and 30.5mm overall height. It is designed to fit with Ruland modular mounting system components that begin with MT10:12-ALK-M5-16. The lever is zinc die-cast with a plastic coating and the inserts are stainless steel for durability and corrosion resistance. MT10:12-ALK-M5-16 replaces standard hardware in clamping components allowing for rapid fine repositioning of connectors and tubes for increased operator efficiency. It is commonly used an accessory in mounting systems for screens, sensors, reflectors, plexiglass machine guards, and other components. MT10:12-ALK-M5-16 is manufactured by Otto Ganter, inventoried by Ruland, and RoHS3 compliant.

### Product Specifications

<b>Lever Length L1</b>	30 mm	<b>Overall Height H1</b>	30.5 mm
<b>Hub Height H2</b>	24.5 mm	<b>Sleeve &amp; Stud Length L3</b>	16 mm
<b>Sleeve Length L2</b>	6 mm	<b>Sleeve Diameter D1</b>	9 mm
<b>Thread (TH)</b>	M5	<b>Thread Length</b>	10 mm
<b>Thread Pitch</b>	0.8 mm	<b>Handle Material</b>	Zinc
<b>Insert and Screw Material</b>	303 Stainless Steel	<b>Weight (lbs)</b>	0.090400
<b>Manufacturer</b>	JW Winco/ Otto Ganter	<b>UPC</b>	634529238073
<b>Country of Origin</b>	Germany	<b>Tariff Code</b>	8487.90.0080
<b>UNSPC</b>	31162908		

### Note 1

Performance ratings are for guidance only. The user must determine suitability for a particular application.

### Prop 65

 **WARNING** This product can expose you to chemicals including Soots, Benzene, Lead, and Nickel (metallic), known to the State of California to cause cancer, and Lead and Benzene known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).