



## TW:MR-3-1/2-675, L-Handle Torque Wrench

TW:MR-3-1/2-675, L-Handle Slip Type Torque Wrench, 1/2 in square drive, 675 lbs-in (76.28 Nm)



### Description

Ruland TW:MR-3-1/2-675 is an L-handle slip type torque wrench with with a 1/2" square drive size. It is preset at the factory to 675 lbs-in (56.25 lbs-ft, 76.28 Nm) of allowable torque. Upon reaching the specified torque value of 675 lbs-in (56.25 lbs-ft, 76.28 Nm), the torque wrench automatically releases and resets. This prevents tightening above the preset value, even with continued turning. The L-handle profile is ideal for higher torque value where more leverage is needed to fully seat hardware. TW:MR-3-1/2-675 is manufactured by Seekonk Precision Tools in Massachusetts from chrome plated alloy steel for durability and longevity in industrial environments. It is made in accordance with Federal Specification MIL-STD-45662A and comes standard with an NIST traceable certification. Periodic calibration is required depending on frequency of use.

### Product Specifications

<b>Tool Type</b>	Torque Wrench	<b>Handle Type</b>	L-Handle
<b>Torque Setting</b>	675 lbs-in (56.25 lbs-ft, 76.28 Nm)	<b>Torque Range</b>	Factory Set
<b>Accuracy</b>	+/- 4%	<b>Torque Limiting Direction</b>	Clockwise
<b>Operation Mode</b>	Torque Right, Ratchet Left	<b>Drive Size</b>	1/2 in square
<b>Handle Width</b>	2-1/2 in (64 mm)	<b>Overall Length</b>	17 in (432 mm)
<b>Height</b>	2 1/2 in (64 mm)	<b>Material Specification</b>	Chrome Plated Alloy Steel
<b>Manufacturer</b>	Seekonk Precision Tools	<b>Country of Origin</b>	USA
<b>Weight (lbs)</b>	3.437500	<b>UPC</b>	634529222393
<b>Tariff Code</b>	8204.20.0000	<b>UNSPC</b>	27111715
<b>Note 1</b>	Shipped with a NIST calibration certificate.		
<b>Note 2</b>	Periodic calibration is required depending on frequency of use.		