




Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**
Connector & Housing Type: **Receptacle**
Number of Positions: **1**
Terminal Orientation: **Flag**
UL Flammability Rating: **UL 94V-0**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	1
---------------------	---

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Flag
Contact Mating Retention	With

Mechanical Attachment

Mating Alignment Type	None
Mating Retention Type	Dimple
Mating Alignment	Without



Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Nylon
Usage Conditions	
Operating Temperature Range	-40 - 150 °C[-40 - 302 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



 TE Part # CAT-P851-T1 PCB Power Relay: 30 amp, Monostable DC	 TE Part # 2-480416-4 250 FASTON HSG.,REC.,1 POS, NATRUAL	 TE Part # 1-1558676-9 T9GS1L24-110WG	 TE Part # 1-1558676-3 T9GS1L24-12WG
 TE Part # 1-1558676-4 T9GS1L24-15WG	 TE Part # 1-1558676-5 T9GS1L24-18WG	 TE Part # 1-1558676-6 T9GS1L24-22WG	 TE Part # 1-1558676-7 T9GS1L24-24WG
 TE Part # 1-1558676-8 T9GS1L24-48WG	 TE Part # 1-1558676-1 T9GS1L24-5WG	 TE Part # 1-1558676-2 T9GS1L24-9WG	 TE Part # 1-1558677-9 T9GS2L24-110WG
 TE Part # 1-1558677-3 T9GS2L24-12WG	 TE Part # 1-1558677-4 T9GS2L24-15WG	 TE Part # 1-1558677-5 T9GS2L24-18WG	 TE Part # 1-1558677-6 T9GS2L24-22WG
 TE Part # 1-1558677-7 T9GS2L24-24WG	 TE Part # 1-1558677-8 T9GS2L24-48WG	 TE Part # 1-1558677-1 T9GS2L24-5WG	 TE Part # 1-1558677-2 T9GS2L24-9WG

Also in the Series | FASTON 250



Compression Connectors(4)



Crimp Terminal Housings(133)



Insertion & Extraction Tools(6)



Magnet Wire Terminals(1)



PCB Terminals(134)



Quick Disconnects(441)



Splices(4)

Customers Also Bought



TE Part # 63963-1
250 FASTON FLAG REC 18-14 AWG NPST



TE Part # 41532
250 FASTON FLAG REC 18-12 AWG TPBR



TE Part # 42404-1
250 FASTON FLAG REC 18-12 AWG NPST



TE Part # 1969657-1
250 FASTON HSG.,FLAG,REC.,1 POS, BLACK



TE Part # 1-2324584-0
HSG,REC,PANEL MOUNT,DUALROW, EP2.5



TE Part # 175149-3
AMP UNIVERSAL POWER CONN.TAB C



TE Part # 1969899-1
250 FASTON HSG.,FLAG,REC.,2 POS, BLACK



TE Part # 521087-1
ULTRA-POD 250 ASSY REC 18-14 AWG NPST



TE Part # 918755P003
RT555-1/4-0-1IN



TE Part # 666474-000
RT555-3/16-0-1IN

Documents



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1969656-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1969656-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1969656-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PB 30A PCB Relay T9G Series

English

Introductory Flyer - High Temperature FASTON Housings

English

Agency Approvals

UL Report

English