



Passive Components > Resistors > Through-Hole Resistors > Wirewound Resistor: Vertical Mount



Resistor Type: **Power Resistor**  
Element Type: **Wire Wound**  
Power Rating: **7 W**  
Resistance Class: **Up to 1k $\Omega$**   
Resistance Value: **150  $\Omega$**

[All Wirewound Resistor: Vertical Mount \(166\)](#)

Features

Product Type Features

|               |                |
|---------------|----------------|
| Resistor Type | Power Resistor |
| Element Type  | Wire Wound     |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Resistors | 1 |
|---------------------|---|

Electrical Characteristics

|                             |                   |
|-----------------------------|-------------------|
| Power Rating                | 7 W               |
| Resistance Class            | Up to 1k $\Omega$ |
| Resistance Value            | 150 $\Omega$      |
| Passive Component Tolerance | 5 %               |

Body Features

|           |              |
|-----------|--------------|
| Lead Type | Axial-Leaded |
|-----------|--------------|

Termination Features

|                                |        |
|--------------------------------|--------|
| Termination Area Base Material | Copper |
| Number of Terminations         | 2      |

Dimensions

|                              |               |
|------------------------------|---------------|
| Passive Component Dimensions | 38 x 7 x 8 mm |
|------------------------------|---------------|



Usage Conditions

|                             |              |
|-----------------------------|--------------|
| Operating Temperature Range | -55 - 350 °C |
| Temperature Coefficient     | ±200 ppm/°C  |

Packaging Features

|                  |                   |
|------------------|-------------------|
| Packaging Method | Loose Piece - Box |
|------------------|-------------------|

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240)<br>Candidate List Declared Against: JAN 2024 (240)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                           |
| Solder Process Capability                     | Wave solder capable to 265°C                                                                                                  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # CAT-C339-SB19B  
Wirewound Resistor: Vertical Mount



TE Part # 1623728-3  
BCHE 11 W 10R 5%

Also in the Series | CGS SBC




Surface Mount Resistors(1)



Through-Hole Resistors(212)


Customers Also Bought




TE Part # 770854-3  
CONTACT,AMPSEAL AU L/P



TE Part # 1-1630019-0  
HSC200 1R0 5%




TE Part # 726386-2  
250 FASTON TAB TPBR




TE Part # 967056-1  
MQS BLINDSTOPFEN4MM



TE Part # 3-2176337-0  
CRGCQ 0402 2K7 1%



TE Part # 776286-1  
8POS,AMPSEAL,SOC HSG ASSY,SLD, COD 1



TE Part # 2-1474644-9  
FSN-22A-15



TE Part # 1745096-1  
AMP SUPERSEAL 1,5 SRS. 2 POS. PLUG ASS'Y



TE Part # 3-1393788-3  
V23079B1201B301



Documents

Product Drawings

BCHE 7 W 150R 5%

English

Datasheets & Catalog Pages

4-1773460-6\_RESISTIVE\_SOLUTIONS\_RAIL

English

1309350\_PASSIVE\_COMPONENT

English

8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English

High Power Resistor - Type SBC (Square Ceramic) Series - Tyco Electronics Passives

English