TE Internal #: 1827685-4

DC Jack Connectors, Board-to-Board, 7 Position, .079 in [2 mm] Centerline, Receptacle, 30 VDC, Right Angle, Printed Circuit Board,


Power & Signal


View on TE.com >



Connectors > PCB Connectors > Battery Connectors & Holders > DC Jack Connectors











Connector System: Board-to-Board

Number of Positions: 7

Centerline (Pitch): 2 mm [.079 in]

Connector & Housing Type: Receptacle

Operating Voltage: 30 VDC

Features

Product Type Features

Board-to-Board
Receptacle
Printed Circuit Board
7
Right Angle
30 VDC
6 A
Without

Board Mount

Connector Mounting Type



Centerline (Pitch)	2 mm[.079 in]
Usage Conditions	
Operating Temperature Range	-20 - 80 °C[-4 - 176 °F]
Operation/Application	
Circuit Application	Power & Signal

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






TE Part # 1827654-1 2mm pitch Battery Plug Assy. 7Pos. H=4.0



TE Part # 1-1827654-1 2mm pitch Battery Plug Assy. 7Pos. H=4.0




TE Part # 1827654-2 2mm pitch Battery Plug Assy. 7P. H=4.0




TE Part # 1932154-1 2mm pitch Battery Plug Assy.7Pos Reverse

Customers Also Bought



TE Part # 1415074-1 RT4S5LC4



TE Part # 2-1415075-1 PT3S7LC4



TE Part # 3-1879216-0 CPF0402 120K 0.1% 25PPM 1K RL



TE Part # 826629-2 2P AMPMODU II



TE Part # 1827654-1 2mm pitch Battery Plug Assy. 7Pos. H=4.0



TE Part # 1827684-1

2mm pitch Battery Rec. Assy. 7Pos.
H=4.0



TE Part # 1838893-3 M12 Mtl MALE PNL CONN. Sldr Re



TE Part # 4-794618-8
18P MICRO MNL ASSY R/A HDR LI



TE Part # 1-87499-4
08 MODIV HSG COMP SR .100CL



Documents

Product Drawings

2mm pitch Battery Rec. Assy. 7Pos. RVS.

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1827685-4_C.2d_dxf.zip

DC Jack Connectors, Board-to-Board, 7 Position, .079 in [2 mm] Centerline, Receptacle, 30 VDC, Right Angle, Printed Circuit Board, Power & Signal



English

Customer View Model

ENG_CVM_CVM_1827685-4_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1827685-4_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages

2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1

English

Product Specifications

Product Specification

English