TE Internal #: 5-583616-2

Socket Contact, Gold, Locking Lance Contact Retention, 28 - 24 AWG Wire Size, .08 - .24 mm² Wire Size, 159.8 - 642.4 CMA Wire

Size, Crimp

View on TE.com >




Connectors > Contacts > Connector Contacts











Contact Type: Socket

Contact Mating Area Plating Material: Gold

Wire Contact Termination Area Plating Material: Tin

Contact Retention Within Housing: With

Contact Retention Type Within Housing: Locking Lance

Features

Contact Features

PCB Contact Termination Area Plating Material Finish	Matte
PCB Contact Termination Area Plating Material	Tin
Contact Type	Socket
Contact Mating Area Plating Material	Gold
Wire Contact Termination Area Plating Material	Tin
Contact Retention Within Housing	With
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	5 A

Termination Features

Product Terminates To Mechanical Attachment	Wire & Cable	
Termination Method to Wire & Cable	Crimp	

Weenamed Attachmen

Contact Retention Type Within Housing	Locking Lance	
---------------------------------------	---------------	--

Dimensions



Compatible Insulation Diameter Range	.89 - 1.4 mm[.035055 in]
Wire Size	159.8 - 642.4 CMA
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Circuit Application	Power & Signal
Identification Marking	
Contact Color Code	Orange
Packaging Features	
Packaging Quantity	7000
Packaging Method	Strip

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts





TE Part # 2151967-1 OCEAN_2.0_Applicator-S-042F062O-RSM



TE Part # 2151967-2 OCEAN_2.0_Applicator-S-042F062O-RSA





TE Part # 7-2151967-1 OCEAN_2.0_Applicator-S-042F062O



TE Part # 7-2151967-2 OCEAN_2.0_Applicator-S-042F062O

Customers Also Bought



TE Part # 182917-1 CPC SQ.FL.RCPT STD SEX



TE Part # 1-6609006-8
IEC Filtered Inlets, Corcom EEJ Series



TE Part # 211149-1
PIN HSG,25 POSN,METRIMATE



TE Part # 207304-1 24 POS SQ GRID METRIMATE-PLUG



TE Part # 2-34161-1 TERMINAL,PG R 16-14 10



TE Part # 280621-2 MOD I CONT STRIP



TE Part # 62026-1 187 FASTON REC 20-16 AWG TPBR



TE Part # 5053094268 RNF-100-1/4-BK-SP





Documents

Product Drawings

CONT.CRP.SNAP TW.LF. STRIP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-583616-2_BM.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-583616-2_BM.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-583616-2_BM.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Product Specifications

Application Specification

English