



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover**

Primary Product Color: **Orange**

Primary Product Material: **PA6 GF**

Operating Temperature (Max): **140 °C [284 °F]**

Operating Temperature Range: **-40 - 140 °C [-40 - 284 °F]**

Features

Product Type Features

Sealable	Yes
Protection & Strain Relief Accessory Type	Cover

Body Features

Primary Product Color	Orange
Primary Product Material	PA6 GF

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2355146-1
3POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2355146-2
3POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2371017-1
2POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2371017-2
2POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2371019-1
1POS,IPT,RING TONGUE HSG ASSY, SLD



TE Part # 2371019-2
1POS,IPT,RING TONGUE HSG ASSY, SLD

Customers Also Bought



 TE Part # 2103157-1 SHIELD, PLUG, SIZE 1, Sn, HVA280	 TE Part # 1-1991225-4 PROTECTIVE COVER. IPT 16-50mm sq. CABLE D	 TE Part # 2355146-1 3POS, IPT, RING TONGUE HSG ASSY, SLD	 TE Part # 2355148-1 SLEEVE, IPT 3P SHIELDING
 TE Part # 2355150-2 SLEEVE, IPT 3P SHIELDING	 TE Part # 2355151-1 SWS, COAX	 TE Part # 2355153-2 COVER, IPT 3P	 TE Part # 2365737-1 RING TONGUE TRMNL, 70MM2 WIRE FOR IPT
 TE Part # 2371017-1 2POS, IPT, RING TONGUE HSG ASSY, SLD	 TE Part # 1719826-2 SINGLE WIRE SEAL, 8MM HV		

Documents

Product Drawings

COVER, IPT 3P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2355153-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2355153-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2355153-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications

Application Specification

English

Application Specification

English