



TE Internal #: 1445996-1
Tab Contact, Silver, 600 VAC, 600 VDC, 4 AWG Wire Size, 21 mm²
Wire Size, 41444 CMA Wire Size, Crimp, Copper Alloy, Power, -40 -
221 °F [-40 - 105 °C]
[View on TE.com >](#)

Connectors > Contacts > Connector Contacts



Contact Type: **Tab**
Contact Mating Area Plating Material: **Silver**
Wire Contact Termination Area Plating Material: **Silver**
Operating Voltage: **600 VDC**

Features

Product Type Features

Discrete Wire Type	Stranded
--------------------	----------

Electrical Characteristics

Operating Voltage	600 VDC
-------------------	---------

Contact Features

Mating Tab Width	10.6 mm[.417 in]
Mating Tab Thickness	4.85 mm[.191 in]
Contact Underplating Material Thickness	50 µm[1.27 µin]
Wire Contact Termination Area Plating Thickness	50 µm[1.27 µin]
Wire Contact Termination Area Plating Material Finish	Matte
Contact Mating Area Plating Material Thickness	1.27 µm[50 µin]
Contact Orientation	Straight
Contact Underplating Material	Nickel
Barrel Type	Closed
Contact Type	Tab
Contact Mating Area Plating Material	Silver



Wire Contact Termination Area Plating Material	Silver
Contact Retention Within Housing	With
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	120 A

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Dimensions

Wire Size	41444 CMA
-----------	-----------

Usage Conditions

Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

Compatible With Agency/Standards Products	UL
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought

 TE Part # 1604001-5 120A SGL POLE HSG SUBASY,RED	 TE Part # 2292534-1 PROTECTION CAP,TE,WATER DRAIN	 TE Part # 2311753-2 2POS,PCON12,REC HSG ASSY, 180DEG,COD B	 TE Part # 2383853-4 H&S 50mm, Shielt Sleeve
 TE Part # 2383855-2 H&S 50mm, Crimp anvil	 TE Part # 2394111-2 H&S 50mm, SWS	 TE Part # 2394112-2 H&S 50mm, Cable clip	 TE Part # 2394113-2 H&S 50mm, Cable cover
 TE Part # 2395861-2 H&S 50mm, Inner housing	 TE Part # 1445994-1 120A HSG SUBASY,GRAY		

Documents

Product Drawings
CONTACT, 120 PWR PROD,4 AWG
English

CAD Files
Customer View Model



[ENG_CVM_CVM_1445996-1_A.2d_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1445996-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1445996-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[POWER_CONNECTORS_CATALOG_SEC02_CABLE_MOUNTED](#)

English

[2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1](#)

English

Product Specifications

[Application Specification](#)

English