



Part Number : 2059250011

Series Number : 205925

Product Category : Connector Housings

Product Description : MultiCat Mid-Power Plug Housing, 8 Circuits, Key B, Natural

Status : Active

Engineering Number : 2059250011-FCT

Documents & Resources

Drawings

Drawing 2059250011_sd.pdf

Packaging Design Drawing 2059250000-PK-000.pdf

3D Models and Design Files

3D Model 2059250011_stp.zip

Specifications


Application Specification 2059250000-AS-000.pdf

Product Specification 2059250000-PS-000.pdf

Test Summary 2059250000-TS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Housings
Series	205925
Description	MultiCat Mid-Power Plug Housing, 8 Circuits, Key B, Natural
Application	Power, Wire-to-Wire
Product Family	MultiCat Power Connectors with Precision-Machined Contacts
Product Name	MultiCat
UPC	191130501779

Agency

UL	E29179
----	--------

Physical

Circuits (maximum)	8
Color - Resin	Natural
Flammability	94V-0
Gender	Plug
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	PEI
Net Weight	3.782/g
Number of Rows	2
Packaging Type	Partitioned Carton
Panel Mount	No
Pitch - Mating Interface	3.60mm
Polarized to Mating Part	Yes

Temperature Range - Operating	-40° to +150°C
-------------------------------	----------------

Mates With / Use With

Mates with Part(s)

Description	Part Number
MultiCat Mid-Power Receptacle Housings	<u>205926</u>

Use with Part(s)

Description	Part Number
MultiCat Mid-Power Male Crimp Terminals	<u>202935</u>