

TE Internal #: 1674459-4

USB Connectors, A, 2.0, Standard Profile, Receptacle, 1 Port, Top, Right Angle, Tray / Box & Tray, Flush, Through Hole - Solder, Cable-to-Board

[View on TE.com >](#)



Connectors > Audio & Video Connectors > USB Connectors



USB Adapter Type: **A**  
USB Version: **2.0**  
Connector Profile: **Standard**  
Connector & Housing Type: **Receptacle**  
Number of Ports: **1**

Features

Product Type Features

|                                   |                       |
|-----------------------------------|-----------------------|
| USB Adapter Type                  | A                     |
| USB Version                       | 2.0                   |
| Connector & Housing Type          | Receptacle            |
| Connector System                  | Cable-to-Board        |
| Connector & Contact Terminates To | Printed Circuit Board |
| USB Connector Type                | USB 2.0 Type-A        |

Configuration Features

|                         |   |
|-------------------------|---|
| Number of Mounting Legs | 4 |
| Number of Ports         | 1 |
| Number of Positions     | 4 |

Body Features

|                        |          |
|------------------------|----------|
| Shell Plating Finish   | Matte    |
| Shell Plating Material | Tin      |
| Connector Profile      | Standard |



Contact Features

|                                                |                   |
|------------------------------------------------|-------------------|
| Contact Mating Area Plating Material Thickness | .76 µm[29.92 µin] |
| Contact Mating Area Plating Material           | Gold              |
| Contact Current Rating (Max)                   | 1 A               |

Termination Features

|                                             |                       |
|---------------------------------------------|-----------------------|
| Termination Post & Tail Length              | 1.7 mm[.067 in]       |
| Termination Method to Printed Circuit Board | Through Hole - Solder |

Mechanical Attachment

|                          |                |
|--------------------------|----------------|
| Locking Feature          | With           |
| PCB Mount Alignment Type | Locating Posts |
| PCB Mount Location       | Top            |
| PCB Connector Seating    | Flush          |
| PCB Mount Retention Type | Kinked Legs    |
| Panel Mount Feature Type | Flange         |
| Connector Mounting Type  | Board Mount    |

Housing Features

|                    |                                |
|--------------------|--------------------------------|
| Housing Material   | Thermoplastic                  |
| Housing Color      | Natural                        |
| Body Orientation   | Right Angle                    |
| Centerline (Pitch) | 2 mm, 2.5 mm[.078 in][.098 in] |

Dimensions

|                             |               |
|-----------------------------|---------------|
| PCB Thickness (Recommended) | 1 mm[.039 in] |
|-----------------------------|---------------|

Usage Conditions

|                             |                           |
|-----------------------------|---------------------------|
| Soldering Temperature (Max) | 260 °C[500 °F]            |
| Mating Cycles (Max)         | 30000                     |
| Operating Temperature Range | -55 - 85 °C[-67 - 185 °F] |

Operation/Application

|                     |                |
|---------------------|----------------|
| Halogen Free        | No             |
| Circuit Application | Power & Signal |

Industry Standards

|                            |         |
|----------------------------|---------|
| Moisture Sensitivity Level | 1       |
| Industry Standard          | USB 2.0 |



|                        |          |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|

Packaging Features

|                    |                  |
|--------------------|------------------|
| Packaging Quantity | 500              |
| Packaging Method   | Box & Tray, Tray |

Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240)<br>Candidate List Declared Against: JAN 2024 (240)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                           |
| Solder Process Capability                     | Pin-in-Paste capable to 260°C                                                                                                 |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

|                                                                                                                                                     |                                                                                                                                                  |                                                                                                                                                    |                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part # 1-1734028-1<br/>Std USB, Type A, Plug, Natural</p> |  <p>TE Part # 1487599-1<br/>USB, A-BLUNT,28/28,BLK,0.83M</p> |  <p>TE Part # 1734028-1<br/>Std USB Type A, Plug, Natural</p> |  <p>TE Part # 1487593-1<br/>USB, A-BLUNT,28/24,WHT,2.0M</p> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|



TE Part # 1-1734028-3  
Std USB, Type A, Plug




TE Part # 1487600-1  
USB, A-BLUNT,28/26,BLK,1.0M




TE Part # 1487591-1  
USB, A-BLUNT,28/28,WHT,0.83M



TE Part # 1487593-2  
USB, A-BLUNT,28/24,WHT,1.5M



TE Part # 1929690-1  
USB CABLE, USB A to Mini USB,Blue



TE Part # 2142872-1  
cable assy, usb a plug to 5p hsg


Customers Also Bought



TE Part # 3-2176231-2  
3522 200R 1% 3W



TE Part # 4-1625999-8  
HSC100 6R8 5%




TE Part # 2-1617754-1  
FCA-410-1622M=M83536/16-022M



TE Part # 1746854-1  
SHILED FINGER 2411 ANTI OVER S



TE Part # 7-1879215-6  
CPF 0402 28K 0.1% 25PPM 1K RL



TE Part # 3-2176331-3  
CRGP 2512 4K7 1%



TE Part # 1932870-2  
FBIS-II PLUG ASSY 6 POS, 1.27um Gold



TE Part # ZPF000000000015185  
DMC-M 04-12 AN



TE Part # ZPF0000000000201420  
732-8260-99



TE Part # ZPF000000000015191  
DMC-M 04-12 BN

Documents



Product Drawings

Std USB Type A, R/A,T/H, Natural,HighDur

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1674459-4\_E.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_1674459-4\_E.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1674459-4\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Product Specification

English