

TE Internal #: L9000274-01

SMA RF Interface, Plug, 50 Ω, Threaded, 0 - 18 GHz Operating Frequency, 1 Position, Printed Circuit Board, Board Mount, -65 - 165 °C [-85 - 329 °F]

[View on TE.com >](#)

Connectors > RF Connectors > Coax Connectors



RF Interface: SMA

RF Connector Style: Plug

Impedance: 50 Ω

RF Connector Coupling Mechanism: Threaded

Operating Frequency: 0 - 18 GHz

Features

Product Type Features

Connector Product Type	Connector Assembly
RF Interface	SMA
RF Connector Style	Plug
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Edge
Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω
-----------	------

Body Features

Cable Connector Orientation	Straight
Body Material	Brass
Body Material Finish	Plated
Body Plating Material	Gold

Contact Features

RF Connector Center Contact Plating Material	Gold
--	------

RF Connector Center Contact Material

Brass

Termination Features

Termination Method to Wire & Cable

Solder

Mechanical Attachment

RF Connector Coupling Mechanism

Threaded

Connector Mounting Type

Board Mount

RF Contact Captivation Method

Mechanical

Detent

Without

Usage Conditions

Operating Temperature Range

-65 - 165 °C [-85 - 329 °F]

Operation/Application

Circuit Application

Signal

Operating Frequency

0 - 18 GHz

Packaging Features

Packaging Quantity

100

Packaging Method

Tray

Other

Dielectric Material

PTFE

Product ComplianceFor compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

EU ELV Directive 2000/53/EC

Not Yet Reviewed

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024
(240)
Not Yet Reviewed

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # CONSMA001-SMD
SMA Jack 50 Ohm PCB Surface Mount



TE Part # CONSMA001-SMD-G
SMA Jack 50 Ohm PCB Surface Mount



TE Part # CONSMA001-SMD-G-T
SMA Jack 50 Ohm PCB Surface Mount



TE Part # CONSMA002
SMA RA Jack 50 Ohm PCB Through Hole



TE Part # CONSMA002-G
SMA Jack 50 Ohm PCB Through Hole



TE Part # CONSMA002-L
SMA Jack 50 Ohm PCB Through Hole



TE Part # CONSMA002-SMD
SMA Jack 50 Ohm PCB Surface Mount



TE Part # CONSMA002-SMD-G-T
SMA Jack 50 Ohm PCB Surface Mount



TE Part # L9000261-01
SMA Jack 50 Ohm .031 PCB Edge Mount



TE Part # L9000262-01
SMA Jack 50 Ohm .031 PCB Edge Mount



TE Part # L9000263-01
SMA Jack 50 Ohm .031 PCB Edge Mount



TE Part # L9000264-01
SMA Jack 50 Ohm .031 PCB Edge Mount



TE Part # L9000266-01
SMA Jack 50 Ohm .062 PCB Edge Mount



TE Part # L9000267-01
SMA Jack 50 Ohm .062 PCB Edge Mount gold




TE Part # L9000268-01
SMA Jack 50 Ohm .062 PCB Edge Mount



TE Part # L9000269-01
SMA Jack 50 Ohm .062 PCB Edge Mount



Customers Also Bought



Documents

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_L9000274-01_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_L9000274-01_A.3d_stp.zip](#)

English

Customer View Model[ENG_CVM_CVM_L9000274-01_A.2d_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.**Datasheets & Catalog Pages**[SMA MALE EDGE MOUNT FOR 0.031INCH BOARD](#)

English