

RLP73K1ER75JTD

✓ ACTIVE

CGS | CGS RLP73

TE Internal #: 2-2176050-9

Low Ohmic Resistor, Thick Film, 0402, .125 W, .75 Ω , 5 %, ± 200 ppm / $^{\circ}\text{C}$, Solder, 2 Termination, Height .013 in [.32 mm], CGS RLP73

[View on TE.com >](#)



Passive Components > Resistors > Surface Mount Resistors > Thick Film Resistor: Current Sense



Resistor Type: Low Ohmic Resistor

Element Type: Thick Film

Package Size Code: 0402

Power Rating: .125 W

Resistance Value: .75 Ω

[All Thick Film Resistor: Current Sense \(177\)](#)

Features

Product Type Features

Resistor Type	Low Ohmic Resistor
Element Type	Thick Film
Package Size Code	0402

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Power Rating	.125 W
Resistance Value	.75 Ω
Resistance Class	Up to 1k Ω
Passive Component Tolerance	5 %

Termination Features

Surface Mount Resistor Termination Type	Solder
Number of Terminations	2

Dimensions

Product Height	.32 mm[.013 in]
Product Length	1 mm[.039 in]
Product Width	.5 mm[.02 in]



Usage Conditions

Temperature Coefficient	± 200 ppm/ $^{\circ}\text{C}$
-------------------------	-----------------------------------

Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260 $^{\circ}\text{C}$

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

TE Part # CAT-C339-R529A
Thick Film Resistor: Current Sense

TE Part # 2176050-8
RLP73N 1E R10 5% 5K RL




Also in the Series | [CGS RLP73](#)




[Surface Mount Resistors\(401\)](#)

Customers Also Bought




TE Part # 5-5179010-3
[0.8FH,R13H.5,080,08/Sn,TU](#)



TE Part # HPP845E031R4
[HTU21D Digital High Accuracy RH/T Sensor](#)



TE Part # 2176070-2
[3521 11R 1% 2W](#)



TE Part # 2-1761606-3
[IDC LOW PRO HDR 10P VERT LG LAT BLUE](#)



TE Part # 5650118-2
[CONN SEC II 10 POS 100C/L R/A](#)



TE Part # 5-2301995-3
[RJ45 JACK INT.MAG. 10/100 LED 1X1 VERT.](#)



TE Part # 1879353-4
[RR02 5% 5K6 AMMO](#)



TE Part # 185534-2
[26pos MQS .63 header 90deg](#)

Documents

[Product Drawings](#)

[RLP73K 1E R75 5% 5K RL](#)

English

[CAD Files](#)

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2-2176050-9_BA.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-2176050-9_BA.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-2176050-9_BA.3d_stp.zip](#)

RLP73K1ER75JTD

Low Ohmic Resistor, Thick Film, 0402, .125 W, .75 Ω , 5 %, ± 200 ppm/ $^{\circ}\text{C}$, Solder, 2 Termination, Height .013 in [.32 mm], CGS RLP73



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
SMD Low Ohmic Current Sense Resistors - Type RL73 Series
English