



Part Number : 639018900

Series Number : 207127

Product Category : Applicators and Crimp Modules

Product Description : FineAdjust Applicator for Micro-Fit 3.0 Terminals, for 20-24 AWG Wire with Insulation Diameter 0.91-1.09mm

Status : Active

Documents & Resources

Tooling Specifications

Application Tooling Specification ATS-639018900-001.pdf

Commercial Crimp Book TM-638000029-001.pdf

Commercial Crimp Book TM-638000029SP-001.pdf

Commercial Crimp Book TM-638000029IT-001.pdf

Commercial Crimp Book TM-638000029JP-001.pdf

Commercial Crimp Book TM-638000029KR-001.pdf

Commercial Crimp Book TM-638000029MY-001.pdf

Commercial Crimp Book TM-638000029PL-001.pdf

Commercial Crimp Book TM-638000029RU-001.pdf

Commercial Crimp Book TM-638000029SK-001.pdf

Commercial Crimp Book TM-638000029TH-001.pdf

Commercial Crimp Book TM-638000029VN-001.pdf

Commercial Crimp Book TM-638000029CN-001.pdf

Commercial Crimp Book TM-638000029TW-001.pdf

Tooling Manual TM-638004900-001.pdf

Tooling Manual TM-638004900CN-001.pdf

Tooling Manual TM-638004900SP-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Reviewed per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Not Reviewed per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Applicators and Crimp Modules
Series	207127
Description	FineAdjust Applicator for Micro-Fit 3.0 Terminals, for 20-24 AWG Wire with Insulation Diameter 0.91-1.09mm
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Automatic, Semi-Automatic
More Detailed Tech Information	toolingsupport@molex.com
Product Family	Application Tooling
Product Name	FineAdjust
Tool Type	Applicator
UPC	884982220577

Warranty Disclaimer	<p>CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.</p>
---------------------	---

Physical

Net Weight	4977.245/g
------------	------------

Use with Part(s)

Description	Part Number
TM-2000 Universal Press	/content/molex/molex-dot-com/us/en/products/product-page.html/638008300.html
TM-2000 Universal Press (Europe 220V)	/content/molex/molex-dot-com/us/en/products/product-page.html/638008400.html
TM-3000 Universal Crimp Press, 120AC 50/60Hz, Used for product up to 10 AWG	/content/molex/molex-dot-com/us/en/products/product-page.html/638017200.html
TM-3000 Universal Crimp Press, 220AC 50/60Hz, Used for product up to 10 AWG	/content/molex/molex-dot-com/us/en/products/product-page.html/638017300.html
TM-4000 Universal Crimp Press, 240AC 50/60Hz, Used for product up to 4 AWG	/content/molex/molex-dot-com/us/en/products/product-page.html/638017600.html
Use With	Most Industry Standard Presses or Wire Process Machines