



Switches > Tactile Switches



Actuator Style: **Round**
Operating Function: **NO**
Contact Base Material: **Stainless Steel**
Switch Contact Plating Material: **Silver**
IP Rating: **IP67**

Features

Product Type Features

Switch Connection Type	Printed Circuit Board
Leg Style	J Style
Illuminated	With
Actuator Style	Round

Configuration Features

ESD Grounding Terminal	Without
Ganged	With
Switch Feedback Type	Tactile
Operating Function	NO
Support Bracket	With
Configuration (Pole-Throw)	Single Pole - Single Throw
Number of Actuators	Single

Electrical Characteristics

Operating Voltage	24 VDC
-------------------	--------



Body Features

Actuator Force	260 g[9.17 oz]
Case Material	Thermoplastic (LCP)
Actuator Profile	Extended
Actuator Material	Silicone Rubber
Case Color	Ivory
Product Orientation	Right Angle
Actuator Color	Black

Contact Features

Contact Base Material	Stainless Steel
Switch Contact Plating Material	Silver
Contact Current Rating	50 mA

Termination Features

Termination Method to Printed Circuit Board	Surface Mount
---	---------------

Housing Features

Low Profile	With
Process Sealed	Yes

Dimensions

Actuator Length	1.6 mm[.063 in]
Button Width	2.79 mm[.11 in]
	.236 in

Usage Conditions

Operating Temperature Range	-35 - 85 °C
-----------------------------	-------------

Industry Standards

IP Rating	IP67
-----------	------

Packaging Features

Packaging Method	Loose Piece
------------------	-------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant






China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1825910-6 FSM4JH=6MM TACT SWITCH, HIGH TEMP	 TE Part # 2-1825910-7 FSM14JH=6MM TACT SWITCH, HIGH TEMP	 TE Part # 4-1437565-2 FSM4JSMATR=TACT SWITCH 6X6MIL	 TE Part # 3-1437565-0 FSM2JSMATR=ON T/R
 TE Part # 2-1977223-8 FSM14JSMAS=6MM TACT SWITCH, SMT 160gf	 TE Part # 1977497-1 6MM SEALED R/A TACT SWITCH, SMT		

Customers Also Bought





TE Part # 1658608-1

37 POS HDF PLUG, MS, LEAD FREE



TE Part # 7-1393211-2

T92P7D22-48



TE Part # 6-1579007-0

EXTRACTION TOOL




TE Part # 165028

PIDG RING 12-10 6MM




TE Part # 5749231-1

Mini DIN, 6 pos, R/A, Shield



TE Part # 2176082-3

EP 3W (S) 22R 5%



TE Part # 2-1318772-2

025 12Pos Cap Assy



TE Part # 1768045-2

STD Snap-On Markers



TE Part # 2-1879075-9

THS25 27R 5%

Documents

Product Drawings

R/A SEALED TACT SWITCH

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1571407-1_J.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1571407-1_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1571407-1_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages



SWITCHES_CORE_PROGRAM_CATALOG

English

Products for Mobile Equipment

English