




Sensors > Pressure Sensors > Board Mount Pressure Sensors



Pressure Sensor Type: **mV Output Pressure Sensors**

Pressure Type: **Absolute**

Pressure Accuracy: **±0.05% or ±0.2% Non-linearity**

Supply Voltage Range: **5 V**

Operating Temperature Range: **-40 - 125 °C [-40 - 257 °F]**

Features

Product Type Features

Sensor Package	Surface Mountable
Pressure Sensor Type	mV Output Pressure Sensors
Pressure Type	Absolute

Electrical Characteristics

Supply Voltage Range	5 V
----------------------	-----

Usage Conditions

Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
-----------------------------	----------------------------

Operation/Application

Pressure Accuracy	±0.05% or ±0.2% Non-linearity
-------------------	-------------------------------

Other

Sensor Options	No Option
----------------	-----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts













Also in the Series | MEAS MS54XX



Customers Also Bought



 <p>TE Part # MS583702BA01-50 MS5837-02BA01 2BA T&R PRESSURE SEN</p>	 <p>TE Part # 2198325-6 zSFP+ STACKED 2X2 RECEPTACLE ASSEMBLY</p>	 <p>TE Part # 2-966067-6 FER,WIRE,PL SLV,16.00/6,L12,BLUE,LP</p>	 <p>TE Part # 7-1625892-7 3W SM M/OX 5% 18K</p>
 <p>TE Part # DT06-12S-B031 PLG, 12P, BLK, SEAL RET, BLOCKED, A</p>	 <p>TE Part # 414026-3 JACK ASSY,SMB,RT ANG</p>	 <p>TE Part # DT06-12SA-CE10 PLG, 12P, BLK, E, SEAL RET, ENH KEY, A</p>	 <p>TE Part # 154719-E SMCB 50 F AB VV 7-03 CL * H007 137 E002</p>
 <p>TE Part # 61-0006-011-000 CONTACT PIN 1 MM</p>	 <p>TE Part # 40-0989-000-000 623 INSULATION INSERT, 17-PIN</p>		

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_325412000-00_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_325412000-00_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_325412000-00_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.